


Walker Rider Lawnmowers

ILLUSTRATED PARTS MANUAL

Deck and Carrier Frame Assemblies (36" , 42" , 48" , 52" , 54" & 62")
(Covers Serial Numbers DX-46813 thru DX-68358)



CE

Effective Date:
11-02-00

P/N 5000-8
Price \$5.00

KEY TO ABBREVIATIONS USED IN THIS MANUAL

<i>Abbreviation</i>	<i>What it Represents</i>
" (Dimension)	inches
DGHS	Deck, Grass Handling System (number refers to size in inches)
DML	Deck, Mulching (number refers to size in inches)
DSD	Deck, Side Discharge (number refers to size in inches)
DU	Garlock (Bearing)
ESNA (Fastener)	Nylon Insert Locknut
ft-lb	foot-pounds (Torque)
gal.	gallon
GHS	Grass Handling System
GR (Fastener)	Grade
ID	Inside Diameter
in-lb	inch-pounds (Torque)
LH	Left Hand (orientated with operator on seat)
mm (Dimension)	millimeters
MS (Fastener)	Machine Screw
N·m	Newton-meters (Torque)
NS (as part number)	Item is not sold by Walker Manufacturing
OAL	Overall Length
oz.	ounce
PFH (Fastener)	Phillips Flat Head
P/N	Part Number
Pneu.	Pneumatic
PPH (Fastener)	Phillips Pan Head
PTH (Fastener)	Phillips Truss Head
PTO	Power Take-Off
qt.	quart
RH	Right Hand (orientated with operator on seat)
SAE (Fastener)	Society of Automotive Engineers
SBH (Fastener)	Socket Button Head (Bolt)
SD	Side Discharge
SFH (Fastener)	Slotted Flat Head
SHC (Fastener)	Socket Head Cap
SHL (Fastener)	Shoulder (Bolt)
SM (Fastener)	Sheet Metal (Screw)
S/N	Serial Number
SQH (Fastener)	Square Head
SS (Fastener)	Stainless Steel
ST (Fastener)	Self-Tapping (Screw)

NOTE: In some instances, combinations of abbreviations may be used (e.g. PPHMS - Phillips Pan Head Machine Screw).

ILLUSTRATED PARTS LIST


<i>Section of Mower Covered</i>	<i>Page</i>	<i>Section of Mower Covered</i>	<i>Page</i>
Decals & Paint			
Deck Decals / Touch-Up Paint	2	Mulching Kit (For DSD52 Deck Assembly)	28
Deck and Carrier Frame Assemblies		54 Inch Complete Carrier Frame Assembly	30
36 Inch Complete Carrier Frame Assembly	4	DSD54 Deck Assembly	32
DGHS36 Deck Assembly	6	62 Inch Complete Carrier Frame Assembly	34
DSD36 Deck Assembly	8	DSD62 Deck Assembly	36
42 Inch Complete Carrier Frame Assembly	10	Maintenance	
DGHS42 Deck Assembly	12	Deck Weldment Replacement Parts	38
DSD42 Deck Assembly	14	Lubrication Points	40
DML42 Deck Assembly	16	Fastener Loctite® Application & Torque Instructions	42
48 Inch Complete Carrier Frame Assembly	18	Maintenance and Service Record Sheet	44
DGHS48 Deck Assembly	20	Deck / Tractor Compatibility Chart	44
DSD48 Deck Assembly	22	Warranty	
52 Inch Complete Carrier Frame Assembly	24	Limited Warranty	45
DSD52 Deck Assembly	26		

DECK DECALS / TOUCH-UP PAINT

ITEM NO.	PART NO.	DESCRIPTION	LOCATION	NO. REQ'D. GHS	NO. REQ'D SD
DSD52 Deck Decals					
1	8653	Caution, Pivot Joint	Carrier Frame	0	2
2	8748	Cutting Height Adjustment	Footrest Pulley Guard	0	1
3	8746	Universal Joint Lube	Mount Bracket/PTO Guard	0	1
4	5846	Grease Fitting	Deck Cover Plate	0	3
5	5808-1	Danger, Rotating Blades	Deck Housing (one on each end)	0	2
6	8647	Danger, Tilt-Up	Carrier Frame	0	1
7	8653-1	Transport Warning	Deck Housing, Front	0	1
8	8732	52" Deck	Deck Housing, Front	0	1
9	5809	Walker Mower Logo (3")	Carrier Frame, Front	0	1
10	8734	Drive Belt Routing (52" Deck)	Underneath Deck Cover Plate	0	1
11	5848	Danger, Side Discharge Shield	Side Discharge Shield	0	1
DSD62 Deck Decals					
1	8653	Caution, Pivot Joint	Carrier Frame	0	2
2	8748	Cutting Height Adjustment	Footrest Pulley Guard	0	1
3	8746	Universal Joint Lube	Mount Bracket/PTO Guard	0	1
4	5846	Grease Fitting	Deck Cover Plate	0	3
6	8647	Danger, Tilt-Up	Carrier Frame	0	1
7	8653-1	Transport Warning	Deck Housing, Front	0	1
9	5809	Walker Mower Logo (3")	Carrier Frame, Front	0	1
11	5848	Danger, Side Discharge Shield	Side Discharge Shield	0	1
12	5808	Danger, Rotating Blades	Deck Housing (one on each end)	0	2
13	8750	62" Deck	Deck Housing, Front	0	1
14	8749	Drive Belt Routing (62" Deck)	Underneath Deck Cover Plate	0	1
36", 42", 48" & 54" Deck Decals					
1	8653	Caution, Pivot Joint	Carrier Frame	2	2
4	5846	Grease Fitting	Deck Cover Plate	1	1
6	8647	Danger, Tilt-Up	Carrier Frame	1	1
9	5809	Walker Mower Logo (3")	Carrier Frame, Front	1	1
11	5848	Danger, Side Discharge Shield	Side Discharge Shield	0	1
12	5808	Danger, Rotating Blades	Deck Housing (one on each end)	2	2
15	6875	PTO Alignment Arrow	Universal Joint Shaft Assembly	1	1
16	5807-1	Cutting Height Adjustment	Gearbox Cover	1	1
17	5865	Blade Mounting Torque	Carrier Frame	1	1
Touch-Up Paint					
18	5866	Touch-Up Paint, Yellow (12 oz. Aerosol)			
19	5871	Touch-Up Paint, Yellow (1 qt.)			
20	5871-1	Touch-Up Paint, Yellow (1 gal.)			

NOTE: All parts requiring decals are shipped with decals applied.


DECK DECALS / TOUCH-UP PAINT



36 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 5710)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Fasteners			
1	5975-3	Cable Tie (50# x 7")	4	F012	3/8-16 Keps Nut		2
2	5744-1	Spring Clip Bracket	1	F014	3/8-16 ESNA Nut		2
3	5743-1	Spring Cover	2	F020	5/16-18 ESNA Nut		2
4	8667-10	Pivot Mount, LH	1	F038	3/8-16 x 1 Hex Bolt		2
5	5830-3	Grease Fitting (45 Degree)	4	F047	3/8-16 x 4-1/2 Hex Bolt		2
6	8667-20	Pivot Mount, RH	1	F063	3/8 Internal Star Lock Washer		2
7	5743-4	Eyebolt (3/8-16 x 2-3/4)	2	F084	5/16 Wave Spring Washer		2
8	5743-2	Extension Spring (1-1/2 x 7-3/4)	2	F123	1" External Snap Ring		4
Carrier Frame Components				F166	Retainer Ring		4
9	8674-11	Lever, Deck Lock, LH	1	F191	3/8 x 1-1/2 x 3/16 Washer		2
10	7406-1	Handle Grip (Red)	2	F226	5/16-18 x 7/8 Hex Bolt		2
11	8669	Lift Handle	1	F317	3/16 x 1 Split Spring Pin		4
12	5748-10	Rubber Mat (1-1/2 x 6)	2	F335	3/8-16 x 7/8 Set Screw, SS		2
13	5740-2	Deck Pin Bushing (5/8 ID)	4	F336	3/8-16 Jam Nut		2
14	5710-12	36" Carrier Frame	1	* Service Part Only			
		(Includes Item # 12)		** May be ordered as a factory-installed option or as a kit for dealer installation. Contact your Walker dealer.			
	5710-10	36" Carrier Frame w/Pivots	*	NOTE: When installing Item # 8 on decks prior to S/N DX-62875, the swivel hook end should be attached to the deck carrier frame.			
		(Includes Items # 4, 6, 9, 13, 14, F317, F335 & F336)					
15	8674-10	Lever, Deck Lock, RH	1				
16	5830	Grease Fitting	2				
Caster Wheel Components							
17	5714-7	Bearing Cap	4				
18	5714-5	Bearing, Caster Wheel	2				
19	5715-4	Caster Wheel Assy, Pneu. (8 x 3.00-4)	2				
		(Includes Items # 5, 17 & 18)					
	5715-10	Tire, Pneumatic (8 x 3.00-4)	*				
	5715-9	Tire Tube, Pneumatic (2.80/2.50-4)	*				
	5715-3	Caster Wheel,					
		Foamed Rubber (8 x 3.00-4)	**				
	5715-11	Tire, Foamed Rubber (8 x 3.00-4)	**				
20	5714-3	Axle Spacer Tube	2				
21	5770-2	Caster Wheel Fork	2				
22	5683	Pivot Bearing	4				

36 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 5710)




DGHS36 DECK ASSEMBLY (P/N 5710-15)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				33	8788-1	Rubber Mat (1 x 2)	1
1	8618-1	Cover, PTO Shaft Guard	1	34	7775-2	Hitch Pin, RH (Gold) #6	2
2	8619	PTO Shaft Guard	1	35	5727-1	Washer Shim (5/8 ID)	4
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	36	NS	Deck Serial Number Plate	1
3	5285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 22, 23 & F295)	1	Fasteners			
4	5275-15	U-Joint Tube Assy (9.5" OAL), Spline	1	F002	10-24 Keps Nut		9
5	7275-15	U-Joint Tube Assy, Spline	1	F004	1/4-20 Keps Nut		2
6	5797	Discharge Chute (6-1/2 Diameter)	1	F005	1/4-20 ESNA Nut		2
	5794	Discharge Chute Assembly (Includes Items # 6, 9, 10, F079 & F085)	*	F012	3/8-16 Keps Nut		1
7	8678	Spring Mount, Chute	1	F013	3/8-16 Whiz Locknut		6
8	8677	Extension Spring (1 x 6-1/16)	1	F018	5/8-18 Hex Nut		2
9	5726	Chute Hinge (2 x 8)	1	F025	10-24 x 3/8 PPHMS		2
10	5755	Chute Lower Lip	1	F029	1/4-20 x 1/2 Hex Bolt		4
11	6054	Spline Coupling	3	F036	1/4-20 x 1/2 SBH Screw		2
12	P007	Gasket, Cap (Peerless #788030)	4	F038	3/8-16 x 1 Hex Bolt		1
13	5061	Gearbox Connector Tube (6-11/16)	1	F039	3/8-16 x 1-1/4 Hex Bolt		4
14	6732-2	Connecting Shaft (4-1/8)	1	F050	1/4 SAE Washer		2
15	5052-1	Blade Drive Gearbox (LH Rotation)	2	F055	5/8 SAE Washer		2
16	5706-4	Seal Protector Plate	3	F056	5/8 Split Lock Washer		2
17	5051-15	Tee Gearbox, Shear	1	F059	3/8 Wave Spring Washer		2
18	5060	Gearbox Connector Tube (2-5/16)	1	F069	3/32 x 1/2 Cotter Pin		1
19	5052-3	1.375 x .750 x .187 Washer, Oblong	4	F076	3/8-16 x 5/8 SQH Set Screw		*
20	5747-10	Rubber Mat (3 x 6)	2	F079	A/A66D Aluminum Pop Rivet		*
21	5746	Gearbox Cover (36") (Includes Item # 20)	1	F085	3/16 Rivet Backup Washer		*
22	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*	F087	#10 x 7/8 Fender Washer		2
23	5830	Grease Fitting	1	F124	10-32 x 3/8 Taptite Machine Screw		9
Deck Housing Components				F129	10-24 x 1/2 PTHMS		3
24	8670	Tilt-Up Hook	1	F136	AN960C416L Washer		16
25	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2	F202	10-24 x 5/8 SHC Screw, GR5 SS		4
26	8490	Roller Wheel Axle Bolt	2	F206	#2 x 3/16 Drive Pin		2
27	5710-16	36" Deck Housing, GHS (Includes Items # 25, 26, 32 & 33)	1	F211	1/4-20 x 7/8 Hex Bolt		16
28	5705-0	Blade, 20" (RH Rotation)	1	F229	C-Clip (13/16)		2
29	5705-2	Blade, 20" (LH Rotation)	1	F246	1/4-20 x 1/2 PTHMS		2
	5705-6	Blade Set (36" GHS Deck) (Includes Items # 28-30, F002 & F202)	*	F295	3/16 x 1-1/2 Split Spring Pin		1
30	5706	Blade Hub & Trash Guard	2	* Service Part Only			
31	7775-1	Hitch Pin, LH (Silver) #6	2	NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MS and MC (prior to S/N 98-33662) if tractor is not equipped (tractors S/N prior to S/N 99-37748).			
32	8735-10	Rubber Mat (5 x 6)	2	NOTE: Order Item # 5 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 99- 37748).			

Use only genuine **Walker®** replacement parts.

Effective Date 11-02-00

DGHS36 DECK ASSEMBLY (P/N 5710-15)




DSD36 DECK ASSEMBLY (P/N 5710-17)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				29	7775-2	Hitch Pin, RH (Gold) #6	2
1	8618-1	Cover, PTO Shaft Guard	1	30	5709-2	Discharge Shield, Hinged	1
2	8619	PTO Shaft Guard	1	31	5727-1	Washer Shim (5/8 ID)	4
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	32	NS	Deck Serial Number Plate	1
3	5285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 18, 19 & F295)	1	Fasteners			
4	5275-15	U-Joint Tube Assy (9.5" OAL), Spline	1	F002	10-24 Keps Nut		6
5	7275-15	U-Joint Tube Assy, Spline	1	F004	1/4-20 Keps Nut		2
6	5706-4	Seal Protector Plate	3	F012	3/8-16 Keps Nut		1
7	6054	Spline Coupling	3	F013	3/8-16 Whiz Locknut		6
8	P007	Gasket, Cap (Peerless #788030)	4	F014	3/8-16 ESNA Nut		2
9	5061	Gearbox Connector Tube (6-11/16)	1	F018	5/8-18 Hex Nut		2
10	6732-2	Connecting Shaft (4-1/8)	1	F025	10-24 x 3/8 PPHMS		2
11	5052-1	Blade Drive Gearbox (LH Rotation)	1	F029	1/4-20 x 1/2 Hex Bolt		4
12	5051-15	Tee Gearbox, Shear	1	F038	3/8-16 x 1 Hex Bolt		1
13	5060	Gearbox Connector Tube (2-1/2)	1	F039	3/8-16 x 1-1/4 Hex Bolt		6
14	5053-1	Blade Drive Gearbox (RH Rotation)	1	F050	1/4 SAE Washer		2
15	5052-3	1.375 x .750 x .187 Washer, Oblong	4	F055	5/8 SAE Washer		2
16	5747-10	Rubber Mat (3 x 6)	2	F056	5/8 Split Lock Washer		2
17	5746	Gearbox Cover (36") (Includes Item # 16)	1	F059	3/8 Wave Spring Washer		4
18	5830	Grease Fitting	1	F069	3/32 x 1/2 Cotter Pin		1
19	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*	F076	3/8-16 x 5/8 SQH Set Screw		*
Deck Housing Components				F124	10-32 x 3/8 Taptite Machine Screw		9
20	8670	Tilt-Up Hook	1	F136	AN960C416L Washer		16
21	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2	F202	10-24 x 5/8 SHC Screw, GR5 SS		4
22	8490	Roller Wheel Axle Bolt	2	F206	#2 x 3/16 Drive Pin		2
23	5710-18	36" Deck Housing, SD (Includes Items # 21, 22, 26 & 28)	1	F211	1/4-20 x 7/8 Hex Bolt		16
24	5705-1	Blade, 20" (RH Rotation)	2	F229	C-Clip (13/16)		2
	5705-5	Blade Set (36" SD Deck) (Includes Items # 24, 25, F002 & F202)	*	F246	1/4-20 x 1/2 PTHMS		2
25	5706	Blade Hub & Trash Guard	2	F295	3/16 x 1-1/2 Split Spring Pin		1
26	8735-10	Rubber Mat (5 x 6)	2	* Service Part Only			
27	7775-1	Hitch Pin, LH (Silver) #6	2	NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MS and MC (prior to S/N 98-33662) if tractor is not equipped (tractors S/N prior to S/N 99-37748).			
28	8788-1	Rubber Mat (1 x 2)	1	NOTE: Order Item # 5 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 99- 37748).			

Use only genuine **Walker®** replacement parts.

Effective Date 11-02-00

DSD36 DECK ASSEMBLY (P/N 5710-17)



42 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 5700-10)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Fasteners			
1	5975-3	Cable Tie (50# x 7")	4	F012	3/8-16 Keps Nut		2
2	5744-1	Spring Clip Bracket	1	F014	3/8-16 ESNA Nut		2
3	5743-1	Spring Cover	2	F020	5/16-18 ESNA Nut		2
4	5743-3	Eyebolt (3/8-16 x 2)	2	F038	3/8-16 x 1 Hex Bolt		2
5	8667-10	Pivot Mount, LH	1	F047	3/8-16 x 4-1/2 Hex Bolt		2
6	8667-20	Pivot Mount, RH	1	F063	3/8 Internal Star Lock Washer		2
7	5830-3	Grease Fitting (45 Degree)	4	F084	5/16 Wave Spring Washer		2
8	5743-2	Extension Spring (1-1/2 x 7-3/4)	2	F123	1" External Snap Ring		4
Carrier Frame Components				F166	Retainer Ring		4
9	8674-11	Lever, Deck Lock, LH	1	F191	3/8 x 1-1/2 x 3/16 Washer		2
10	7406-1	Handle Grip (Red)	2	F226	5/16-18 x 7/8 Hex Bolt		2
11	8669	Lift Handle	1	F317	3/16 x 1 Split Spring Pin		4
12	5748-10	Rubber Mat (1-1/2 x 6)	2	F335	3/8-16 x 7/8 Set Screw, SS		2
13	5740-2	Deck Pin Bushing (5/8 ID)	4	F336	3/8-16 Jam Nut		2
14	8662-1	42" Carrier Frame	1	* Service Part Only			
		(Includes Item # 12)		** May be ordered as a factory-installed option or as a kit for dealer installation. Contact your Walker dealer.			
	8664	42" Carrier Frame w/Pivots	*	NOTE: When installing Item # 8 on decks prior to S/N DX-62875, the swivel hook end should be attached to the deck carrier frame.			
		(Includes Items # 5, 6, 9, 14, 15, F317, F335 & F336)					
15	8674-10	Lever, Deck Lock, RH	1				
16	5830	Grease Fitting	6				
Caster Wheel Components							
17	5714-7	Bearing Cap	4				
18	5714-5	Bearing, Caster Wheel	2				
19	5715-4	Caster Wheel Assy, Pneu. (8 x 3.00-4)	2				
		(Includes Items # 7, 17 & 18)					
	5715-10	Tire, Pneumatic (8 x 3.00-4)	*				
	5715-9	Tire Tube, Pneumatic (2.80/2.50-4)	*				
	5715-3	Caster Wheel,					
		Foamed Rubber (8 x 3.00-4)	**				
	5715-11	Tire, Foamed Rubber (8 x 3.00-4)	**				
20	5714-3	Axle Spacer Tube	2				
21	5770-2	Caster Wheel Fork	2				
22	5683	Pivot Bearing	4				

Use only genuine **Walker®** replacement parts.

Effective Date 11-02-00




DGHS42 DECK ASSEMBLY (P/N 5705)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				34	5704-4	42" Deck Housing, GHS (Includes Items # 26, 27, 31, 33 & F013)	1
1	8618-1	Cover, PTO Shaft Guard	1	35	7775-2	Hitch Pin, RH (Gold) #6	2
2	8619	PTO Shaft Guard	1	36	5727-1	Washer Shim (5/8 ID)	4
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	37	NS	Deck Serial Number Plate	1
3	5285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 23, 24 & F295)	1	Fasteners			
4	5275-15	U-Joint Tube Assy (9.5" OAL), Spline	1		F002	10-24 Keps Nut	9
5	7275-15	U-Joint Tube Assy, Spline	1		F004	1/4-20 Keps Nut	2
6	5797-1	Discharge Chute (6-1/2 Diameter)	1		F005	1/4-20 ESNA Nut	2
	5794	Discharge Chute Assembly (Includes Items # 6, 9, 10, F079 & F085)	*		F012	3/8-16 Keps Nut	1
7	8678	Spring Mount, Chute	1		F013	3/8-16 Whiz Locknut	6
8	8677	Extension Spring (1 x 6-1/16)	1		F018	5/8-18 Hex Nut	2
9	5726	Chute Hinge (2 x 8)	1		F025	10-24 x 3/8 PPHMS	2
10	5755	Chute Lower Lip	1		F029	1/4-20 x 1/2 Hex Bolt	4
11	6054	Spline Coupling	4		F036	1/4-20 x 1/2 SBH Screw	2
12	P007	Gasket, Cap (Peerless #788030)	4		F038	3/8-16 x 1 Hex Bolt	1
13	5063	Gearbox Connector Tube (8-5/8)	1		F039	3/8-16 x 1-1/4 Hex Bolt	4
14	6732-3	Connecting Shaft (6-1/4)	1		F050	1/4 SAE Washer	2
15	5052-1	Blade Drive Gearbox (LH Rotation)	2		F055	5/8 SAE Washer	2
16	5706-4	Seal Protector Plate	2		F056	5/8 Split Lock Washer	2
17	5051-15	Tee Gearbox, Shear	1		F059	3/8 Wave Spring Washer	2
18	6732-1	Connecting Shaft (2")	1		F069	3/32 x 1/2 Cotter Pin	1
19	5062	Gearbox Connector Tube (4-3/8)	1		F076	3/8-16 x 5/8 SQH Set Screw	*
20	5052-3	1.375 x .750 x .187 Washer, Oblong	4		F079	A/A66D Aluminum Pop Rivet	*
21	5747-10	Rubber Mat (3 x 6)	2		F085	3/16 Rivet Backup Washer	*
22	5785	Gearbox Cover (42") (Includes Item # 21)	1		F087	#10 x 7/8 Fender Washer	2
23	5830	Grease Fitting	1		F124	10-32 x 3/8 Taptite Machine Screw	6
24	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*		F129	10-24 x 1/2 PTHMS	3
Deck Housing Components					F136	AN960C416L Washer	16
25	8670	Tilt-Up Hook	1		F202	10-24 x 5/8 SHC Screw, GR5 SS	4
26	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2		F206	#2 x 3/16 Drive Pin	2
27	8490	Roller Wheel Axle Bolt	2		F211	1/4-20 x 7/8 Hex Bolt	16
28	5705-3	Blade, 22" (RH Rotation)	1		F229	C-Clip (13/16)	4
29	5706	Blade Hub & Trash Guard	2		F246	1/4-20 x 1/2 PTHMS	2
30	5705-4	Blade, 22" (LH Rotation)	1		F295	3/16 x 1-1/2 Split Spring Pin	1
	5705-8	Blade Set (42" GHS Deck) (Includes Items # 28-30, F002 & F202)	*	* Service Part Only			
31	8735-10	Rubber Mat (5 x 6)	2	NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MS and MC (prior to S/N 98-33662) if tractor is not equipped (tractors S/N prior to S/N 99-37748).			
32	7775-1	Hitch Pin, LH (Silver) #6	2	NOTE: Order Item # 5 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 99- 37748).			
33	8788-1	Rubber Mat (1 x 2)	1				

Use only genuine **Walker®** replacement parts.

Effective Date 11-02-00

DGHS42 DECK ASSEMBLY (P/N 5705)




DSD42 DECK ASSEMBLY (P/N 5707-10)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				30	7775-2	Hitch Pin, RH (Gold) #6	2
1	8618-1	Cover, PTO Shaft Guard	1	31	5709-2	Discharge Shield, Hinged	1
2	8619	PTO Shaft Guard	1	32	5727-1	Washer Shim (5/8 ID)	4
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	33	NS	Deck Serial Number Plate	1
3	5285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 19, 20 & F295)	1	Fasteners			
4	5275-15	U-Joint Tube Assy (9.5" OAL), Spline	1	F002	10-24 Keps Nut		6
5	7275-15	U-Joint Tube Assy, Spline	1	F004	1/4-20 Keps Nut		2
6	5706-4	Seal Protector Plate	3	F012	3/8-16 Keps Nut		1
7	6054	Spline Coupling	4	F013	3/8-16 Whiz Locknut		6
8	P007	Gasket, Cap (Peerless #788030)	4	F014	3/8-16 ESNA Nut		2
9	5063	Gearbox Connector Tube (8-5/8)	1	F018	5/8-18 Hex Nut		2
10	6732-3	Connecting Shaft (6-1/4)	1	F025	10-24 x 3/8 PPHMS		2
11	5052-1	Blade Drive Gearbox (LH Rotation)	1	F029	1/4-20 x 1/2 Hex Bolt		4
12	5051-15	Tee Gearbox, Shear	1	F038	3/8-16 x 1 Hex Bolt		1
13	6732-1	Connecting Shaft (2")	1	F039	3/8-16 x 1-1/4 Hex Bolt		6
14	5062	Gearbox Connector Tube (4-3/8)	1	F050	1/4 SAE Washer		2
15	5053-1	Blade Drive Gearbox (RH Rotation)	1	F055	5/8 SAE Washer		2
16	5052-3	1.375 x .750 x .187 Washer, Oblong	4	F056	5/8 Split Lock Washer		2
17	5747-10	Rubber Mat (3 x 6)	2	F059	3/8 Wave Spring Washer		4
18	5785	Gearbox Cover (42") (Includes Item # 17)	1	F069	3/32 x 1/2 Cotter Pin		1
19	5830	Grease Fitting	1	F076	3/8-16 x 5/8 SQH Set Screw		*
20	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*	F124	10-32 x 3/8 Taptite Machine Screw		9
Deck Housing Components				F136	AN960C416L Washer		16
21	8670	Tilt-Up Hook	1	F202	10-24 x 5/8 SHC Screw, GR5 SS		4
22	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2	F206	#2 x 3/16 Drive Pin		2
23	8490	Roller Wheel Axle Bolt	2	F211	1/4-20 x 7/8 Hex Bolt		16
24	5705-3	Blade, 22" (RH Rotation)	2	F229	C-Clip (13/16)		4
	5705-7	Blade Set (42" SD Deck) (Includes Items # 24, 25, F002 & F202)	*	F246	1/4-20 x 1/2 PTHMS		2
25	5706	Blade Hub & Trash Guard	2	F295	3/16 x 1-1/2 Split Spring Pin		1
26	7775-1	Hitch Pin, LH (Silver) #6	2	* Service Part Only			
27	8735-10	Rubber Mat (5 x 6)	2	NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MS and MC (prior to S/N 98-33662) if tractor is not equipped (tractors S/N prior to S/N 99-37748).			
28	8788-1	Rubber Mat (1 x 2)	1	NOTE: Order Item # 5 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 99- 37748).			
29	5703-3	42" Deck Housing, SD (Includes Items # 22, 23, 27, 28 & F013)	1				

Use only genuine **Walker®** replacement parts.

Effective Date 11-02-00

DSD42 DECK ASSEMBLY (P/N 5707-10)



Refer to LUBRICATION POINTS, Page 40.


DML42 DECK ASSEMBLY (P/N 5707-11)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				30	5701-1	42" Deck Housing, Mulching (Includes Items # 22, 23, 27, 29 & F013)	1
1	8618-1	Cover, PTO Shaft Guard	1	31	7775-2	Hitch Pin, RH (Gold) #6	2
2	8619	PTO Shaft Guard	1	32	5727-1	Washer Shim (5/8 ID)	4
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	33	NS	Deck Serial Number Plate	1
3	5285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 19, 20 & F295)	1	Fasteners			
4	5275-15	U-Joint Tube Assy (9.5" OAL), Spline	1		F002	10-24 Keps Nut	6
5	7275-15	U-Joint Tube Assy, Spline	1		F004	1/4-20 Keps Nut	2
6	5706-4	Seal Protector Plate	3		F012	3/8-16 Keps Nut	1
7	6054	Spline Coupling	4		F013	3/8-16 Whiz Locknut	6
8	P007	Gasket, Cap (Peerless #788030)	4		F018	5/8-18 Hex Nut	2
9	5063	Gearbox Connector Tube (8-5/8)	1		F025	10-24 x 3/8 PPHMS	2
10	6732-3	Connecting Shaft (6-1/4)	1		F029	1/4-20 x 1/2 Hex Bolt	4
11	5052-1	Blade Drive Gearbox (LH Rotation)	1		F038	3/8-16 x 1 Hex Bolt	1
12	5051-15	Tee Gearbox, Shear	1		F039	3/8-16 x 1-1/4 Hex Bolt	4
13	6732-1	Connecting Shaft (2")	1		F050	1/4 SAE Washer	2
14	5062	Gearbox Connector Tube (4-3/8)	1		F056	5/8 Split Lock Washer	2
15	5053-1	Blade Drive Gearbox (RH Rotation)	1		F059	3/8 Wave Spring Washer	2
16	5052-3	1.375 x .750 x .187 Washer, Oblong	4		F069	3/32 x 1/2 Cotter Pin	1
17	5747-10	Rubber Mat (3 x 6)	2		F076	3/8-16 x 5/8 SQH Set Screw	*
18	5785	Gearbox Cover (42") (Includes Item # 17)	1		F124	10-32 x 3/8 Taptite Machine Screw	9
19	5830	Grease Fitting	1		F136	AN960C416L Washer	16
20	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*		F202	10-24 x 5/8 SHC Screw, GR5 SS	4
Deck Housing Components					F206	#2 x 3/16 Drive Pin	2
21	8670	Tilt-Up Hook	1		F211	1/4-20 x 7/8 Hex Bolt	16
22	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2		F229	C-Clip (13/16)	4
23	8490	Roller Wheel Axle Bolt	2		F246	1/4-20 x 1/2 PTHMS	2
24	5705-10	Blade, 21" (Lower Mulching)	2		F295	3/16 x 1-1/2 Split Spring Pin	1
25	5705-11	Blade, 22" (Upper Mulching)	2	* Service Part Only			
	5705-12	Blade Set (42" Mulching Deck) (Includes Items # 24-26, F002 & F202)	*	NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MS and MC (prior to S/N 98-33662) if tractor is not equipped (tractors S/N prior to S/N 99-37748).			
26	5706	Blade Hub & Trash Guard	2	NOTE: Order Item # 5 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 99- 37748).			
27	8735-10	Rubber Mat (5 x 6)	2				
28	7775-1	Hitch Pin, LH (Silver) #6	2				
29	8788-1	Rubber Mat (1 x 2)	1				

Use only genuine **Walker®** replacement parts.

Effective Date 11-02-00

DML42 DECK ASSEMBLY (P/N 5707-11)



48 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 7700-1)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Fasteners			
1	5975-3	Cable Tie (50# x 7")	4	F012	3/8-16 Keps Nut		2
2	5744-1	Spring Clip Bracket	1	F014	3/8-16 ESNA Nut		2
3	5743-1	Spring Cover	2	F020	5/16-18 ESNA Nut		2
4	5743-3	Eyebolt, (3/8-16 x 2)	2	F038	3/8-16 x 1 Hex Bolt		2
5	5830-3	Grease Fitting (45 Degree)	4	F047	3/8-16 x 4-1/2 Hex Bolt		2
6	8667-10	Pivot Mount, LH	1	F063	3/8 Internal Star Lock Washer		2
7	8667-20	Pivot Mount, RH	1	F084	5/16 Wave Spring Washer		2
8	5743-2	Extension Spring (1-1/2 x 7-3/4)	2	F123	1" External Snap Ring		4
Carrier Frame Components				F166	Retainer Ring		4
9	8674-11	Lever, Deck Lock, LH	1	F191	3/8 x 1-1/2 x 3/16 Washer		2
10	7406-1	Handle Grip (Red)	2	F226	5/16-18 x 7/8 Hex Bolt		2
11	8669	Lift Handle	1	F317	3/16 x 1 Split Spring Pin		4
12	5748-10	Rubber Mat (1-1/2 x 6)	2	F335	3/8-16 x 7/8 Set Screw, SS		2
13	5740-2	Deck Pin Bushing (5/8 ID)	4	F336	3/8-16 Jam Nut		2
14	8663-1	48" Carrier Frame	1	* Service Part Only			
		(Includes Item # 12)		** May be ordered as a factory-installed option or as a kit for dealer installation. Contact your Walker dealer.			
	8665	48" Carrier Frame w/Pivots	*	NOTE: When installing Item # 8 on decks prior to S/N DX-62875,			
		(Includes Items # 6, 7, 9, 14, 15,		the swivel hook end should be attached to the deck carrier			
		F317, F335 & F336)		frame.			
15	8674-10	Lever, Deck Lock, RH	1				
16	5830	Grease Fitting	6				
Caster Wheel Components							
17	5714-7	Bearing Cap	4				
18	5714-5	Bearing, Caster Wheel	2				
19	5715-4	Caster Wheel Assy, Pneu. (8 x 3.00-4)	2				
		(Includes Items # 5, 17 & 18)					
	5715-10	Tire, Pneumatic (8 x 3.00-4)	*				
	5715-9	Tire Tube, Pneumatic (2.80/2.50-4)	*				
	5715-3	Caster Wheel,					
		Foamed Rubber (8 x 3.00-4)	**				
	5715-11	Tire, Foamed Rubber (8 x 3.00-4)	**				
20	5714-3	Axle Spacer Tube	2				
21	5770-2	Caster Wheel Fork	2				
22	5683	Pivot Bearing	4				

Use only genuine **Walker®** replacement parts.

Effective Date 11-02-00




DGHS48 DECK ASSEMBLY (P/N 7702-1)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				31	8735-10	Rubber Mat (5 x 6)	2
1	8618-1	Cover, PTO Shaft Guard	1	32	8788-1	Rubber Mat (1 x 2)	1
2	8619	PTO Shaft Guard	1	33	7701	48" Deck Housing, GHS	1
	8618	PTO Shaft Guard Assembly	*			(Includes Items # 25, 26, 31, 32 & F013)	
		(Includes Items # 1, 2, F002 & F025)		34	7775-2	Hitch Pin, RH (Gold) #6	2
3	7285-15	U-Joint Shaft Assy, 90 Degree, Spline	1	35	5727-1	Washer Shim (5/8 ID)	4
		(Includes Items # 22, 23 & F295)		36	NS	Deck Serial Number Plate	1
4	7275-15	U-Joint Tube Assy, Spline	1	Fasteners			
5	7798	Discharge Chute (3-1/2 x 11-1/2)	1				
	7794	Discharge Chute Assembly	*		F002	10-24 Keps Nut	9
		(Includes Items # 5, 8, 9, F079 & F085)			F004	1/4-20 Keps Nut	2
6	8678	Spring Mount, Chute	1		F005	1/4-20 ESNA Nut	2
7	8677	Extension Spring (1 x 6-1/16)	1		F012	3/8-16 Keps Nut	1
8	7726	Chute Hinge (2 x 11)	1		F013	3/8-16 Whiz Locknut	6
9	7755	Chute Lower Lip	1		F018	5/8-18 Hex Nut	2
10	6054	Spline Coupling	4		F025	10-24 x 3/8 PPHMS	2
11	P007	Gasket, Cap (Peerless #788030)	4		F029	1/4-20 x 1/2 Hex Bolt	4
12	5066	Gearbox Connector Tube (9-5/16)	1		F036	1/4-20 x 1/2 SBH Screw	2
13	6732-6	Connecting Shaft (7")	1		F038	3/8-16 x 1 Hex Bolt	1
14	5706-4	Seal Protector Plate	2		F039	3/8-16 x 1-1/4 Hex Bolt	4
15	5052-1	Blade Drive Gearbox (LH Rotation)	2		F050	1/4 SAE Washer	2
16	7751-15	Tee Gearbox (1.2:1 Ratio), Shear	1		F055	5/8 SAE Washer	2
17	6732-2	Connecting Shaft (4-1/8)	1		F056	5/8 Split Lock Washer	2
18	5061	Gearbox Connector Tube (6-11/16)	1		F059	3/8 Wave Spring Washer	2
19	5052-3	1.375 x .750 x .187 Washer, Oblong	4		F069	3/32 x 1/2 Cotter Pin	1
20	5747-10	Rubber Mat (3 x 6)	2		F079	A/A66D Aluminum Pop Rivet	*
21	7785	Gearbox Cover (48")	1		F085	3/16 Rivet Backup Washer	*
		(Includes Item # 20)			F087	#10 x 7/8 Fender Washer	2
22	5830	Grease Fitting	1		F124	10-32 x 3/8 Taptite Machine Screw	6
23	8067-10	Shear Pin w/Cotter (Set of 5)	*		F129	10-24 x 1/2 PTHMS	3
		(Includes Item # F069)			F136	AN960C416L Washer	16
Deck Housing Components					F202	10-24 x 5/8 SHC Screw, GR5 SS	4
24	8670	Tilt-Up Hook	1		F206	#2 x 3/16 Drive Pin	2
25	5162-11	Roller Wheel (5" Poly)	2		F211	1/4-20 x 7/8 Hex Bolt	16
		(Includes Item # F059)			F229	C-Clip (13/16)	4
26	8490	Roller Wheel Axle Bolt	2		F246	1/4-20 x 1/2 PTHMS	2
27	7705-1	Blade, 25" (RH Rotation)	1		F295	3/16 x 1-1/2 Split Spring Pin	1
28	5706	Blade Hub & Trash Guard	2	* Service Part Only			
29	7705-2	Blade, 25" (LH Rotation)	1	NOTE: Order Item # 4 to use the splined deck PTO shaft with			
	7705-3	Blade Set (48" Deck)	*	Model MT, MD and MC-Twin (S/N 98-33662 and on) if			
		(Includes Items # 27-29, F002 & F202)		tractor is not equipped (tractors S/N prior to S/N 9937748).			
30	7775-1	Hitch Pin, LH (Silver) #6	2				

Use only genuine **Walker®** replacement parts.

Effective Date 11-02-00


DGHS48 DECK ASSEMBLY (P/N 7702-1)



DSD48 DECK ASSEMBLY (P/N 7701-17)


ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				28	7701	48" Deck Housing, SD (Includes Items # 21, 22, 26, 27 & F013)	1
1	8618-1	Cover, PTO Shaft Guard	1	29	7775-2	Hitch Pin, RH (Gold) #6	2
2	8619	PTO Shaft Guard	1	30	6707-10	Skid Bar (48")	1
	8618	PTO Shaft Guard Assembly (Includes Items # 1, 2, F002 & F025)	*	31	6709-5	Discharge Shield (48")	1
3	7285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 18, 19 & F295)	1	32	5727-1	Washer Shim (5/8 ID)	4
4	7275-15	U-Joint Tube Assy, Spline	1	33	NS	Deck Serial Number Plate	1
5	5706-4	Seal Protector Plate	2	Fasteners			
6	6054	Spline Coupling	4		F002	10-24 Keps Nut	6
7	P007	Gasket, Cap (Peerless #788030)	4		F004	1/4-20 Keps Nut	6
8	5066	Gearbox Connector Tube (9-5/16)	1		F012	3/8-16 Keps Nut	1
9	6732-6	Connecting Shaft (7")	1		F013	3/8-16 Whiz Locknut	6
10	5052-1	Blade Drive Gearbox (LH Rotation)	1		F014	3/8-16 ESNA Nut	2
11	5051-15	Tee Gearbox, Shear	1		F018	5/8-18 Hex Nut	2
12	6732-2	Connecting Shaft (4-1/8)	1		F025	10-24 x 3/8 PPHMS	2
13	5061	Gearbox Connector Tube (6-11/16)	1		F029	1/4-20 x 1/2 Hex Bolt	4
14	5053-1	Blade Drive Gearbox (RH Rotation)	1		F031	1/4-20 x 5/8 Hex Bolt	2
15	5052-3	1.375 x .750 x .187 Washer, Oblong	4		F038	3/8-16 x 1 Hex Bolt	1
16	5747-10	Rubber Mat (3 x 6)	2		F039	3/8-16 x 1-1/4 Hex Bolt	6
17	7785	Gearbox Cover (48") (Includes Item # 16)	1		F050	1/4 SAE Washer	2
18	5830	Grease Fitting	1		F055	5/8 SAE Washer	2
19	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*		F056	5/8 Split Lock Washer	2
Deck Housing Components					F059	3/8 Wave Spring Washer	4
20	8670	Tilt-Up Hook	1		F069	3/32 x 1/2 Cotter Pin	1
21	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2		F124	10-32 x 3/8 Taptime Machine Screw	6
22	8490	Roller Wheel Axle Bolt	2		F136	AN960C416L Washer	16
23	7705-1	Blade, 25" (RH Rotation)	2		F202	10-24 x 5/8 SHC Screw, GR5 SS	4
	7705-3	Blade Set (48" SD Deck) (Includes Items # 23, 24, F002 & F202)	*		F206	#2 x 3/16 Drive Pin	2
24	5706	Blade Hub & Trash Guard	2		F211	1/4-20 x 7/8 Hex Bolt	18
25	7775-1	Hitch Pin, LH (Silver) #6	2		F229	C-Clip (13/16)	4
26	8735-10	Rubber Mat (5 x 6)	2		F246	1/4-20 x 1/2 PTHMS	2
27	8788-1	Rubber Mat (1 x 2)	1		F295	3/16 x 1-1/2 Split Spring Pin	1
				* Service Part Only			
				NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 9937748).			

DSD48 DECK ASSEMBLY (P/N 7701-17)



52 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 8811)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Caster Wheel Components			
1	5744-1	Spring Clip Bracket	1	18	8766	Axle Nut (3/4-16)	2
2	5975-3	Cable Tie (50# x 7")	4	19	8768-2	Seal, Caster Wheel	4
3	5743-1	Spring Cover	2	20	8037	Bearing Cone (3/4 ID)	4
4	5743-4	Eyebolt (3/8-16 x 2-3/4)	2	21	8037-2	Bearing Race	4
5	8667-10	Pivot Mount, LH	1	22	8768	Caster Wheel Assy, Pneu. (11 x 4.00-5)	2
6	5830-3	Grease Fitting (45 Degree)	4			(Includes Items # 6 & 21)	
7	8667-20	Pivot Mount, RH	1		8768-3	Tire, Pneumatic (11 x 4.00-5)	*
8	5743-2	Extension Spring (1-1/2 x 7-3/4)	2		8768-5	Caster Wheel (5 x 3)	*
Carrier Frame Components				23	8767	Axle, Caster Wheel (5-1/8)	2
9	8674-11	Lever, Deck Lock, LH	1	24	8765-10	Caster Wheel Fork	2
10	7406-1	Handle Grip (Red)	2	25	8769-7	Oil Seal	2
11	8811-12	52" Carrier Frame	1	26	8769-6	Bearing Cone (1" ID)	4
	8811-10	52" Carrier Frame, w/ Pivots (Includes Items # 5, 7, 9, 15, F317, F335 & F336)	*	27	8769-5	Bearing Cup	4
12	5850-5	Handle Grip (1 x 1 x 3-3/4)	1	28	8769-8	Dust Cap	2
13	8811-25	Tilt Bar, with Grip (35")	1	Fasteners			
14	7775-5	Lock Pin	1		F014	3/8-16 ESNA Nut	2
15	8674-10	Lever, Deck Lock, RH	1		F140	7/16-14 x 1 Hex Bolt	4
16	8740	Deck Pin Bushing (3/4 ID)	4		F166	Retainer Ring	4
17	5830	Grease Fitting	6		F218	7/16 Split Lock Washer	4
					F263	1-1/4 External Snap Ring	4
					F317	3/16 x 1 Split Spring Pin	4
					F335	3/8-16 x 7/8 Set Screw, SS	2
					F336	3/8-16 Jam Nut	2
					F344	3/4-16 Slotted Hex Nut	2
					F347	3/4 SAE Washer	2
					F348	1/8 x 1-1/2 Cotter Pin	2
				* Service Part Only			



Use only genuine **Walker**[®] replacement parts.


DSD52 DECK ASSEMBLY (P/N 8810)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Blade Drive Components				42	8052	Blade Spindle (Includes Item # 10)	3
1	8789-5	Pulley Guard	1	43	8739	Spindle Shield	3
2	8786-15	Footrest Assembly	1	44	5705-25	Blade Spacer	3
3	NS	Edge Molding	2	45	5705-14	Blade, 18-1/2 (RH Rotation)	3
4	8754-10	Cover Plate, 52"	1		8738-7	Blade Set (52" SD)	*
5	8245	Idler Pulley (6")	3	46	8910-5	Tie-Down Strap	2
6	8755	Blade Drive Pulley (3-7/8)	3			(Used to secure deck in tilt-up position during transport)	
7	8762	Dampening Spring (Gas)	1	47	8707	Skid Bar (52/62)	1
8	5146	10mm Ball Stud	2	48	8709	Discharge Shield	1
9	8373-3	Idler Arm (2-Hole)	1	49	NS	Deck Serial Number Plate	1
10	5830	Grease Fitting	5	50	5052-3	1.375 x .750 x .187 Washer, Oblong	12
11	8374-1	Idler Arm Guide	1	51	8670-10	Tilt-Up Hook	1
12	7201-3	DU Bearing	2	Fasteners			
13	7201-4	Inner Race (1-1/2)	1		F004	1/4-20 Keps Nut	6
14	5841	Retainer Washer	1		F009	5/16-18 Whiz Locknut	7
15	8736	Blade Drive Belt (R3VX1000-2)	1		F012	3/8-16 Keps Nut	2
16	6240-2	Drive Pulley (4-1/2 / 3V) (Includes Items # F114 & F277)	1		F013	3/8-16 Whiz Locknut	14
17	8787	Deck Cover Knob	3		F014	3/8-16 ESNA Nut	3
18	8786-10	Rubber Mat (6 x 10-1/2)	2		F020	5/16-18 ESNA Nut	2
Gearbox and Dolly Wheel Components					F023	10-24 ESNA Nut	2
19	6206	Pressure Relief Valve	1		F032	1/4-20 x 3/4 Hex Bolt	2
20	8745-25	Dolly Wheel/PTO Guard Assembly (Includes Items # 10, 21, 25-34, F012, F013, F014, F020, F046, F134, F168, F226 & F355)	*		F034	5/16-18 x 3/4 Hex Bolt	1
21	6715	Roller Wheel (3-7/8)	3		F039	3/8-16 x 1-1/4 Hex Bolt	2
22	8810-30	Tilt Dolly Mount Frame	1		F040	3/8-16 x 1-1/2 Hex Bolt	12
23	8810-34	Axle, Dolly Mount	1		F041	3/8-16 x 1-3/4 Hex Bolt	3
24	8285-20	U-Joint Shaft Assy, T-Scope (Includes Items # 25, F076 & F277)	1		F045	3/16 x 3/16 x 3/4 Key	3
25	5830-3	Grease Fitting (45 Degree)	2		F046	3/8-16 x 3-1/2 Hex Bolt	1
26	8788	Rubber Bumper (Self-Adhesive Mount)	1		F048	1/2 SAE Washer	3
27	8745-14	Retract Lever	1		F051	3/8 SAE Washer	6
28	5850-1	Handle Grip	1		F052	5/16 External Star Lock Washer	2
29	8745-12	Actuator Link	1		F055	5/8 SAE Washer	3
30	8745-13	Dolly Wheel Mount (Includes Item # 10)	1		F059	3/8 Wave Spring Washer	2
31	8745-15	Axle Spacer Tube	1		F068	1/8 x 1 Cotter Pin	3
32	5229	Extension Spring (1/2 x 2-1/4)	1		F076	3/8-16 x 5/8 SQH Set Screw	1
33	8745-20	Mount Bracket (Includes Items # 26, F052, F068 & F339)	1		F108	3/8-16 x 2 Hex Bolt	1
34	5103-4	Pivot Bushing, (3/8 ID)	2		F114	5/16-18 x 5/8 SQH Set Screw	2
35	8745-40	PTO Cover Plate	1		F134	AN960816L Washer	3
36	8051-10	Right Angle Gearbox (Includes Item # 19)	1		F168	5/16 Split Lock Washer	8
Deck Housing Components					F206	#2 x 3/16 Drive Pin	2
37	8727	Washer Shim, 13/16 ID x 1/4	4		F226	5/16-18 x 7/8 Hex Bolt	12
38	8775	Hitch Pin (#219)	4		F246	1/4-20 x 7/8 PTHMS	2
39	8735-10	Rubber Mat (5 x 6)	2		F252	10-24 x 3/4 PFHMS	2
40	8790	Rubber Cushion Strip	3		F276	5/8-11 Jam Nut	3
41	8810-10	52" Deck Housing, SD (Includes Items # 39 & 40)	1		F277	3/16 x 5/8 Woodruff Key (#605)	2
					F295	3/16 x 1-1/2 Split Spring Pin	2
					F339	5/16-18 x 3/4 Self-Tapping Bolt	2
					F343	1/2-20 x 2-1/4 Hex Bolt	3
					F354	Knurled Thread Insert 5/16	2
					F355	3/8 x 16 x 4 Hex Bolt	1
					F356	1/4-20 x 5/8 PTHMS	2
				* Service Part Only			

Use only genuine **Walker®** replacement parts.

Effective Date 11-02-00

DSD52 DECK ASSEMBLY (P/N 8810)



Effective Date 11-02-00

MULCHING KIT (FOR DSD52 DECK ASSEMBLY)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
----------	----------	-------------	-----------

Kit 8691 Mulching Kit (For DSD52 Deck Assembly)
Includes Items # 1-5, fasteners listed and instructions. May be ordered as a factory-installed option or as a kit for dealer installation. Contact your Walker dealer. Refer also to **DSD52 DECK ASSEMBLY**, Page 26.

1	8691-4	Right Hand Baffle	1
2	8691-3	Center Baffle	1
3	8691-2	Left Hand Baffle	1
4	5705-15	Blade, 18-3/8 Upper Mulch	3
	8738-8	Mulching Blade Set (52" Deck)	*
5	8691-10	Blade Saddle	3
6	5705-14	Blade, 18-1/2 (RH Rotation)	3

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
----------	----------	-------------	-----------


Fasteners

F004	1/4-20 Keps Nut	9
F029	1/4-20 x 1/2 Hex Bolt	9
F048	1/2 SAE Washer	3
F343	1/2-20 x 2-1/4 Hex Bolt	3

* Service Part Only. Includes 5705-15 Blades (3 Pieces).

NOTE: Reuse Item # 6 from **DSD52 DECK ASSEMBLY**. Refer to **DSD52 DECK ASSEMBLY**, Page 26.

MULCHING KIT (FOR DSD52 DECK ASSEMBLY)




Effective Date 11-02-00

Use only genuine **Walker®** replacement parts.

54 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 6700-2)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Caster Wheel Components			
1	5975-3	Cable Tie (50# x 7")	4	16	5714-7	Bearing Cap	4
2	5744-1	Spring Clip Bracket	1	17	5714-5	Bearing, Caster Wheel	2
3	5743-1	Spring Cover	2	18	5715-4	Caster Wheel Assy, Pneu. (8 x 3.00-4)	2
4	8667-10	Pivot Mount, LH	1			(Includes Items # 5, 16 & 17)	
5	5830-3	Grease Fitting (45 Degree)	4		5715-10	Tire, Pneumatic (8 x 3.00-4)	*
6	8667-20	Pivot Mount, RH	1		5715-9	Tire Tube, Pneumatic (2.80/2.50-4)	*
7	5743-3	Eyebolt (3/8-16 x 2)	2		5715-3	Caster Wheel,	
8	5743-2	Extension Spring (1-1/2 x 7-3/4)	2			Foamed Rubber (8 x 3.00-4)	**
Carrier Frame Components					5715-11	Tire, Foamed Rubber (8 x 3.00-4)	**
9	8674-11	Lever, Deck Lock, LH	1	19	5714-3	Axle Spacer Tube	2
10	7406-1	Handle Grip, Red	2	20	5770-2	Caster Wheel Fork	2
11	5748-10	Rubber Mat (1-1/2 x 6)	2	21	5683	Pivot Bearing	4
12	5740-2	Deck Pin Bushing (5/8 ID)	4	Fasteners			
13	6710-4	54" Carrier Frame	1		F012	3/8-16 Keps Nut	2
		(Includes Item # 11)			F014	3/8-16 ESNA Nut	2
	6711	54" Carrier Frame w/Pivots	*		F038	3/8-16 x 1 Hex Bolt	2
		(Includes Items # 4, 6, 9, 13, 14, F317, F335 & F336)			F047	3/8-16 x 4-1/2 Hex Bolt	2
14	8674-10	Lever, Deck Lock, RH	1		F063	3/8 Internal Star Lock Washer	2
15	5830	Grease Fitting	2		F123	1" External Snap Ring	4
					F166	Retainer Ring	4
					F191	3/8 x 1-1/2 x 3/16 Washer	2
					F317	3/16 x 1 Split Spring Pin	4
					F335	3/8-16 x 7/8 Set Screw, SS	2
					F336	3/8-16 Jam Nut	2
				* Service Part Only			
				** May be ordered as a factory-installed option or as a kit for dealer installation. Contact your Walker Dealer.			
				NOTE: When installing Item # 8 on decks prior to S/N DX-62875, the swivel hook end should be attached to the deck carrier frame.			



Effective Date 11-02-00

31


DSD54 DECK ASSEMBLY (P/N 6701)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Gearbox and Drive Components				33	6708	54" Deck Housing, SD (Includes Items # 24, 25, 28 & 32)	1
1	8618-1	Cover, PTO Shaft Guard	1	34	7775-2	Hitch Pin, RH (Gold) #6	2
2	8619	PTO Shaft Guard	1	35	6707	Skid Bar (54")	1
	8618	PTO Shaft Guard Assembly (Includes # 1, 2, F002 & F025)	*	36	6709	Discharge Shield (54")	1
3	5275-15	U-Joint Tube Assy (9.5" OAL), Spline	1	37	5727-1	Washer Shim (5/8 ID)	4
4	7275-15	U-Joint Tube Assy, Spline	1	38	NS	Deck Serial Number Plate	1
5	5285-15	U-Joint Shaft Assy, 90 Degree, Spline (Includes Items # 21, 22 & F295)	1	Fasteners			
6	5052-1	Blade Drive Gearbox (LH Rotation)	1		F002	10-24 Keps Nut	8
7	5706-4	Seal Protector Plate	3		F004	1/4-20 Keps Nut	4
8	6054	Spline Coupling	5		F012	3/8-16 Keps Nut	1
9	P007	Gasket, Cap (Peerless #788030)	6		F013	3/8-16 Whiz Locknut	8
10	5064	Gearbox Connector Tube (13-1/2)	1		F014	3/8-16 ESNA Nut	2
11	6732-5	Connecting Shaft (11-1/8)	1		F016	1/2-13 Self-Locking Nut	1
12	5058	Tee Gearbox, Blade Drive	1		F018	5/8-18 Hex Nut	3
13	5060	Gearbox Connector Tube (2-5/16)	1		F025	10-24 x 3/8 PPHMS	2
14	6732-4	Connecting Shaft (5-5/16)	1		F029	1/4-20 x 1/2 Hex Bolt	4
15	5065	Gearbox Connector Tube (7-11/16)	1		F031	1/4-20 x 5/8 Hex Bolt	2
16	5053-1	Blade Drive Gearbox (RH Rotation)	1		F038	3/8-16 x 1 Hex Bolt	1
17	5052-3	1.375 x .750 x .187 Washer, Oblong	6		F039	3/8-16 x 1-1/4 Hex Bolt	8
18	6785	Gearbox Cover (54") (Includes Item # 19)	1		F050	1/4 SAE Washer	2
19	5747-10	Rubber Mat (3 x 6)	2		F055	5/8 SAE Washer	3
20	5051-15	Tee Gearbox, Shear	1		F056	5/8 Split Lock Washer	3
21	8067-10	Shear Pin w/Cotter (Set of 5) (Includes Item # F069)	*		F059	3/8 Wave Spring Washer	4
22	5830	Grease Fitting	1		F061	1/4 Internal Star Lock Washer	2
Deck Housing Components					F069	3/32 x 1/2 Cotter Pin	1
23	8670	Tilt-Up Hook	1		F076	3/8-16 x 5/8 SQH Set Screw	*
24	5162-11	Roller Wheel (5" Poly) (Includes Item # F059)	2		F124	10-32 x 3/8 Taptite Machine Screw	9
25	8490	Roller Wheel Axle Bolt	2		F136	AN960C416L Washer	24
26	5705-0	Blade, 20" (RH Rotation)	3		F202	10-24 x 5/8 SHC Screw, GR5 SS	6
	5705-9	Blade Set (54" SD Deck) (Includes Items # 26, 27, F002 & F202)	*		F206	#2 x 3/16 Drive Pin	2
27	5706	Blade Hub & Trash Guard	3		F211	1/4-20 x 7/8 Hex Bolt	26
28	8735-10	Rubber Mat (5 x 6)	2		F229	C-Clip (13/16)	4
29	7775-1	Hitch Pin, LH (Silver) #6	2		F295	3/16 x 1-1/2 Split Spring Pin	1
30	6715	Roller Wheel (3-7/8)	2		F337	1/4-20 x 5/8 Self-Tap Bolt	2
31	6716-3	Front Axle, Anti-Scalp Roller (Bolt)	1	* Service Part Only			
32	8788-1	Rubber Mat (1 x 2)	1	NOTE: Order Item # 3 to use the splined deck PTO shaft with Model MC (prior to S/N 98-33662) if tractor is not equipped (tractors S/N prior to S/N 99-37748).			
				NOTE: Order Item # 4 to use the splined deck PTO shaft with Model MT, MD and MC-Twin (S/N 98-33662 and on) if tractor is not equipped (tractors S/N prior to S/N 99- 37748).			

Use only genuine **Walker®** replacement parts.



Effective Date 11-02-00

DSD54 DECK ASSEMBLY (P/N 6701)



62 INCH COMPLETE CARRIER FRAME ASSEMBLY (P/N 8911)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Spring and Pivot Mount Components				Caster Wheel Components			
1	5744-1	Spring Clip Bracket	1	18	8766	Axle Nut (3/4-16)	2
2	5975-3	Cable Tie (50# x 7")	4	19	8768-2	Seal, Caster Wheel	4
3	5743-1	Spring Cover	2	20	8037	Bearing Cone (3/4 ID)	4
4	8667-10	Pivot Mount, LH	1	21	8037-2	Bearing Race	4
5	5830-3	Grease Fitting (45 Degree)	4	22	8768	Caster Wheel Assy, Pneu. (11 x 4.00-5)	2
6	8667-20	Pivot Mount, RH	1			(Includes Items # 5 & 21)	
7	5743-4	Eyebolt (3/8-16 x 2-3/4)	2		8768-3	Tire, Pneumatic (11 x 4.00-5)	*
8	5743-2	Extension Spring (1-1/2 x 7-3/4)	2		8768-5	Caster Wheel (5 x 3)	*
Carrier Frame Components				23	8767	Axle, Caster Wheel (5-1/8)	2
9	8674-11	Lever, Deck Lock, LH	1	24	8765-10	Caster Wheel Fork	2
10	7406-1	Handle Grip (Red)	2	25	8769-7	Oil Seal	2
11	8911-12	62" Carrier Frame	1	26	8769-6	Bearing Cone (1" ID)	4
	8911-10	62" Carrier Frame, w/ Pivots (Includes Items # 4, 6, 9, 15, F317, F335 & F336)	*	27	8769-5	Bearing Cup	4
12	5850-5	Handle Grip (1 x 1 x 3-3/4)	1	28	8769-8	Dust Cap	2
13	8911-25	Tilt Bar (42-1/2)	1	Fasteners			
14	7775-5	Lock Pin	1		F014	3/8-16 ESNA Nut	2
15	8674-10	Lever, Deck Lock, RH	1		F140	7/16-14 x 1 Hex Bolt	4
16	8740	Deck Pin Bushing (3/4 ID)	4		F166	Retainer Ring	4
17	5830	Grease Fitting	6		F218	7/16 Split Lock Washer	4
					F263	1-1/4 External Snap Ring	4
					F317	3/16 x 1 Split Spring Pin	4
					F335	3/8-16 x 7/8 Set Screw, SS	2
					F336	3/8-16 Jam Nut	2
					F344	3/4-16 Slotted Hex Nut	2
					F347	3/4 SAE Washer	2
					F348	1/8 x 1-1/2 Cotter Pin	2
				* Service Part Only			



Refer to DSD62
DECK ASSEMBLY,
Page 36

Refer to LUBRICATION POINTS, Page 40.

Effective Date 11-02-00

Use only genuine **Walker**[®] replacement parts.


DSD62 DECK ASSEMBLY (P/N 8910)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Blade Drive Components				44	8739	Spindle Shield	3
1	8789-5	Pulley Guard	1	45	5705-3	Blade, 22" (RH Rotation)	3
2	8786-15	Footrest Assembly	1		5705-13	Blade Set (62" SD)	*
3	NS	Edge Molding	2	46	8728	Machine Bushing (1/2 x 1-1/2)	3
4	8785-10	Cover Plate, 62"	1	47	8910-5	Tie-Down Strap	2
5	8245	Idler Pulley (6")	3			(Used to secure deck in tilt-up position during transport)	
6	8240	Blade Drive Pulley (4-1/2)	3	48	8707	Skid Bar (52/62)	1
7	8762	Dampening Spring (Gas)	1	49	8709	Discharge Shield	1
8	5146	10mm Ball Stud	2	50	NS	Deck Serial Number Plate	1
9	8373-3	Idler Arm (2-Hole)	1	51	5052-3	1.375 x .750 x .187 Washer, Oblong	12
10	5830	Grease Fitting	5	52	8670-10	Tilt-Up Hook	1
11	8374-1	Idler Arm Guide	1	Fasteners			
12	7201-3	DU Bearing	2		F004	1/4-20 Keps Nut	6
13	7201-4	Inner Race (1-1/2)	1		F009	5/16-18 Whiz Locknut	3
14	5841	Retainer Washer	1		F012	3/8-16 Keps Nut	11
15	8731	Blade Drive Belt, (2/3VX1180)	1		F013	3/8-16 Whiz Locknut	14
16	6240-2	Drive Pulley (4-1/2 / 3V) (Includes Items # F114 & F277)	1		F014	3/8-16 ESNA Nut	3
17	8787	Deck Cover Knob	3		F020	5/16-18 ESNA Nut	2
18	8786-10	Rubber Mat (6 x 10-1/2)	2		F023	10-24 ESNA Nut	2
Gearbox and Dolly Wheel Components					F032	1/4-20 x 3/4 Hex Bolt	2
19	6206	Pressure Relief Valve	1		F034	5/16-18 x 3/4 Hex Bolt	1
20	8745-25	Dolly Wheel/PTO Guard Assembly (Includes Items # 10, 22-32, F012, F013, F014, F020, F046, F134, F168, F226 & F355)	*		F038	3/8-16 x 1 Hex Bolt	6
21	8285-20	U-Joint Shaft Assy, T-Scope (Includes Items # 22, F076 & F277)	1		F039	3/8-16 x 1-1/4 Hex Bolt	2
22	5830-3	Grease Fitting (45 Degree)	2		F040	3/8-16 x 1-1/2 Hex Bolt	12
23	5103-4	Pivot Bushing, (3/8 ID)	2		F041	3/8-16 x 1-3/4 Hex Bolt	3
24	8788	Rubber Bumper (Self-Adhesive Mount)	1		F045	3/16 x 3/16 x 3/4 Key	3
25	8745-14	Retract Lever	1		F046	3/8-16 x 3-1/2 Hex Bolt	4
26	5850-1	Handle Grip	1		F051	3/8 SAE Washer	6
27	8745-12	Actuator Link	1		F052	5/16 External Star Lock Washer	2
28	8745-13	Dolly Wheel Mount (Includes Item # 10)	1		F055	5/8 SAE Washer	3
29	6715	Roller Wheel (3-7/8)	1		F059	3/8 Wave Spring Washer	2
30	8745-15	Axle Spacer Tube	1		F068	1/8 x 1 Cotter Pin	1
31	5229	Extension Spring (1/2 x 2-1/4)	1		F076	3/8-16 x 5/8 SQH Set Screw	1
32	8745-20	Mount Bracket (Includes Items # 24, F052, F068 & F339)	1		F108	3/8-16 x 2 Hex Bolt	1
33	8745-40	PTO Cover Plate	1		F114	5/16-18 x 5/8 SQH Set Screw	2
34	8051-10	Right Angle Gearbox (Includes Item # 19)	1		F134	AN960816L Washer	1
Deck Housing Components					F168	5/16 Split Lock Washer	8
35	8790	Rubber Cushion Strip	3		F206	#2 x 3/16 Drive Pin	2
36	8727	Washer Shim, 13/16 ID x 1/4	4		F226	5/16-18 x 7/8 Hex Bolt	8
37	8775	Hitch Pin (#219)	4		F241	.375 x .875 x .10 Washer	6
38	8735-10	Rubber Mat (5 x 6)	2		F246	1/4-20 x 7/8 PTHMS	2
39	8720-30	Anti-Scalp Wheel Mount	3		F252	10-24 x 3/4 PFHMS	2
40	8745-30	Axle Spacer Tube	3		F265	1/2-20 x 1-1/2 Hex Bolt	3
41	6715-1	Roller Wheel (5")	3		F276	5/8-11 Jam Nut	3
42	8910-10	62" Deck Housing, SD (Includes Items # 35 & 38)	1		F277	3/16 x 5/8 Woodruff Key (#605)	2
43	8052	Blade Spindle (Includes Item # 13)	3		F339	5/16-18 x 3/4 Self-Tapping Bolt	2
					F354	Knurled Thread Insert 5/16	2
					F355	3/8 x 16 x 4 Hex Bolt	1
					F356	1/4-20 x 5/8 PTHMS	2
				* Service Part Only			

Use only genuine **Walker®** replacement parts.

Effective Date 11-02-00

DSD62 DECK ASSEMBLY (P/N 8910)



Effective Date 11-02-00

DECK WELDMENT REPLACEMENT PARTS

ITEM NO.	PART NO.	DESCRIPTION	LOCATION	NO. REQ'D
----------	----------	-------------	----------	-----------

NOTE: All parts listed in this section are for Weld-On Repair; Cutting, Grinding, and Welding are required to replace these parts.

DSD52 & DSD62 Weldments

1	8733-3	Rim Rod, RH Rear (20-3/4)	DSD52	1
	8751-2	Rim Rod, RH Rear (28-3/8)	DSD62	1
2	8760-2	Rear Deck Pin (3/4 x 5-3/4)	DSD52 and DSD62	2
3	8733-63	Rim Rod, LH Rear (28-3/4)	DSD52	1
	8751-3	Rim Rod, LH Rear (34-3/8)	DSD62	1
4	8733-5	Rim Rod, LH Front (22-7/8)	DSD52	1
	8751-4	Rim Rod, LH Front (28-5/16)	DSD62	1
5	8760-1	Front Deck Pin (3/4 x 7-5/8)	DSD52 and DSD62	2
6	8733-61	Rim Rod, Front Center (26-5/8)	DSD52	1
	8751-5	Rim Rod, Front Center (29-1/4)	DSD62	1
7	8733-10	Rim Rod, RH Front (16-1/4)	DSD52	1
	8751-6	Rim Rod, RH Front (19-1/4)	DSD62	1

DSD54 Weldments

8	6752-1	Deck Cap Strip, 54SD Rear (33-5/16)*	DSD54	1
9	5760-4	Rear Deck Pin (5/8 x 5-3/8)**	All Decks Except DSD52 & DSD62	2
10	6752-3	Deck Cap Strip, 54SD LH (39")*	DSD54	1
11	5760-3	Front Deck Pin (5/8 x 5-3/4)**	All Decks Except DSD52 & DSD62	2
12	6752-2	Deck Cap Strip, 54SD Front (42")*	DSD54	2

DGHS Weldments

9	5760-4	Rear Deck Pin (5/8 x 5-3/8)**	All Decks Except DSD52 & DSD62	2
11	5760-3	Front Deck Pin (5/8 x 5-3/4)**	All Decks Except DSD52 & DSD62	2
13	5751-3	Deck Cap Strip, GHS LH (43-3/4)	DGHS36	1
	5751-1	Deck Cap Strip, GHS LH (49-3/8)	DGHS42	1
	7701-10	Edge Stiffener, Side (42-3/8)***	DGHS48	2
14	7701-11	Edge Stiffener, Front (21-7/8)***	DGHS48	1
15	5751-4	Deck Cap Strip, GHS RH (47-5/8)	DGHS36	1
	5751-2	Deck Cap Strip, GHS RH (49-3/8)	DGHS42	1

DSD & DML Weldments


9	5760-4	Rear Deck Pin (5/8 x 5-3/8)**	All Decks Except DSD52 & DSD62	2
11	5760-3	Front Deck Pin (5/8 x 5-3/4)**	All Decks Except DSD52 & DSD62	2
16	5702-6	Deck Cap Strip, (47")	DSD36	1
	5751-5	Deck Cap Strip, 42" SD LH (47")	DSD42	1
	5793-14	Rolled Edge, DML42 (37-3/8)	DML42	2
	5793-15	Straight Edge, DML42 (18-9/16)	DML42	2
17	5751-6	Deck Cap Strip, 42" SD Front (3-9/16)	DSD42	1

* Used only on models manufactured in 1992 and later.

** Used only on models manufactured in 1987 and later.

*** Used only on models with Serial Number D7-26482 and later.

DECK WELDMENT REPLACEMENT PARTS



LUBRICATION POINTS

ITEM NO.	LOCATION	LUBRICATION TYPE	NO. PLACES
----------	----------	------------------	------------

36", 42", 48" & 54" Assemblies

Item # 5 is used on GHS Models only. Item # 11 is used on SD Models only. For 54" Assemblies, Refer also to Item # 14 in

LUBRICATION POINTS for DSD52 & DSD62 Assemblies.

1	Deck Caster Wheel Fork Pivot	Grease	2
2	Blade Drive Gearbox	Oil*	2
3	Tee Gearbox, Deck	Oil*	1
4	Deck Caster Wheel Bearing	Grease	2
5	Discharge Shield Hinge	Oil	2
6	PTO Shaft Guard Hinge	Oil	1
7	Universal Joint Shaft Assembly	Grease**	1
8	Pivot Assembly, Tilt-Up Deck	Grease	4
9	Deck Support Arm Socket	Grease	2
10	Deck Roller Wheel	Oil	2
11	Discharge Chute Hinge	Oil	1

ITEM NO.	LOCATION	LUBRICATION TYPE	NO. PLACES
----------	----------	------------------	------------

DSD52 & DSD62 Assemblies

1	Deck Caster Wheel Fork Pivot	Grease	2
4	Deck Caster Wheel Bearing	Grease	2
5	Discharge Shield Hinge	Oil	2
7	Universal Joint Shaft Assembly	Grease**	1
8	Pivot Assembly, Tilt-Up Deck	Grease	4
9	Deck Support Arm Socket	Grease	2
12	Idler Arm, 2-Hole	Grease	1
13	Blade Spindle	Grease	3
14	Anti-Scalp Roller	Oil	3
	(Used on 52", 54" and 62" Decks)		
15	Right Angle Gearbox	Oil***	1
16	Dolly Wheel Retract	Oil	3
	Lever and Linkage		
17	Dolly Wheel Pivot	Grease	1



* Gearboxes are permanently lubricated and sealed requiring no scheduled lubrication. Oil level should be checked only when an oil leak is noted.

** Grease every eight (8) hours.

*** Check oil level every 100 hours. Refer to either MD or MT **OWNER'S MANUAL** for Lubrication Instructions.

NOTE: Exact location of some Lubrication Points may vary slightly from those shown in the illustration. Decks shown in the illustration are for reference only; for further information on location of parts not shown here, refer to the parts listings for individual Carrier Frames and Deck Assemblies.

LUBRICATION POINTS



FASTENER LOCTITE® APPLICATION & TORQUE INSTRUCTIONS

ITEM NO.	DESCRIPTION
----------	-------------

DGHS, DML & DSD Deck Assemblies

Items # 1 & 2 apply to **all** deck models **EXCEPT DSD52 and DSD62**.

- 1 Apply Loctite® Threadlocker # 242 (Blue) to P/N F211 (1/4-20 x 7/8 Hex Bolt, used on Gearbox Connector Tubes) prior to assembly. Torque to 90 in-lb (10.2 N·m).
- 2 Torque P/N F018 (5/8-18 Hex Nut, used on underside of blades) to 60 ft-lb (81.4 N·m). **DO NOT** apply Loctite®.


ITEM NO.	DESCRIPTION
----------	-------------

DSD52 & DSD62 Deck Assemblies

- 3 Apply Loctite® Threadlocker # 242 (Blue) to P/N F114 (5/16-18 x 5/8 SQH Set Screw, used on Drive Pulley) prior to assembly. Torque to 190 in-lb (21.5 N·m).
- 4 Apply Loctite® Threadlocker # 242 (Blue) to P/N F076 (3/8-16 x 5/8 SQH Set Screw, used on U-Joint Shaft Assy, T-Scope) prior to assembly. Torque to 400 in-lb (45.2 N·m).
- 5 Torque P/N F339 (5/16-18 x 3/4 Self-Tapping Bolt, used on Mount Bracket & PTO Guard) to 200 in-lb (22.6 N·m). **DO NOT** apply Loctite®.
- 6 Apply Loctite® Threadlocker # 242 (Blue) to P/N F226 (5/16-18 x 7/8 Hex Bolt, used on Right Angle Gearbox) prior to assembly. Torque to 18 ft-lb (24.4 N·m).

NOTE: Models DGHS48 and DSD52 are shown here. Refer to individual deck assemblies for exact locations and quantities of items listed above.

FASTENER LOCTITE® APPLICATION & TORQUE INSTRUCTIONS



MAINTENANCE AND SERVICE RECORD SHEET

[illegible]

DECK / TRACTOR COMPATIBILITY CHART

	MS-SD	MS-GHS	MC-SD	MC-GHS	MT-SD	MT-GHS	MD-SD	MD-GHS
DGHS36		X		X		X		X
DSD36	X	*	X	*	X	*	X	*
DGHS42		X		X		X		X
DSD42	X	*	X	*	X	*	X	*
DML42			X	*	X	*	X	*
DGHS48				**		X		X
DSD48			X	*	X	*	X	*
DSD52					X	*	X	*
DSD54			X	*	X	*	X	*
DSD62					X	*	X	*

X Deck and tractor are fully compatible.

* Use of this deck on GHS Tractors requires installation of P/N 5595-2 (Blower Intake Cover).
Contact your Walker dealer.

****** Using the DGHS48 Deck with Model MC is not recommended in all conditions. In certain conditions (tall, wet grass), the performance of the deck may be marginal due to a limit of horsepower with the 16-hp engine.

LIMITED WARRANTY FOR WALKER COMMERCIAL RIDER MOWER

1. WHAT THIS WARRANTY COVERS, AND FOR HOW LONG:

Walker Manufacturing company will, at its option, repair or replace, without charge, any part covered by this warranty which is found to be defective in material and/or workmanship within one (1) year* after date of sale to the original retail purchaser unless the product is used for rental purposes, in which case this warranty is limited to ninety (90) days. At Walker's request, customer will make the defective part available for inspection by Walker and/or return the defective part to Walker, transportation charges prepaid. All parts and components of the Walker Mower are covered by this warranty **except** the following components which are warranted separately by their respective manufacturers:

Kohler Engine
Kubota Engine
Kawasaki Engine
Eaton Hydraulic Transmission
Peerless Gearboxes
Battery
Tires

The available warranties covering these items are furnished with each mower. Walker does not assume any warranty obligation, liability or modification for these items, which are covered exclusively by the stated warranty of the respective manufacturers noted above.

* An extended three (3) year warranty is offered on the Walker P/N 6200-7 Gear Axle Assembly.

2. WHAT THIS WARRANTY DOES NOT COVER:


- A. This warranty does not cover defects caused by depreciation or damage caused by normal wear, accidents, improper maintenance, improper use or abuse of the product, alterations, or failure to follow the instructions contained in the Owner's Manual for operation and maintenance.
- B. The customer shall pay any charges for making service calls and/or for transporting the mower to and from the place where the inspection and/or warranty work is performed.

3. HOW TO OBTAIN SERVICE UNDER THIS WARRANTY:

Warranty service can be arranged by contacting the dealer where you purchased the mower or by contacting Walker Manufacturing Company, 5925 East Harmony Road, Ft. Collins, CO 80528. Proof of the date of purchase may be required to verify warranty coverage.

4. WARRANTY LIMITATION:

- A. **THERE IS NO OTHER EXPRESS WARRANTY. ANY WARRANTY THAT MAY BE IMPLIED FROM THIS PURCHASE INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IS HEREBY LIMITED TO THE DURATION OF THIS WARRANTY AND TO THE EXTENT PERMITTED BY LAW ANY AND ALL IMPLIED WARRANTIES ARE EXCLUDED.** Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.
- B. **WALKER WILL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES AND/OR EXPENSES IN CONNECTION WITH THE PURCHASE OR USE OF THE MOWER.** Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation(s) or exclusion(s) may not apply to you.
- C. Only the warranty expressed in this limited warranty shall apply and no dealer, distributor, or individual is authorized to amend, modify, or extend this warranty in any way. Accordingly, additional statements such as dealer advertising or presentations, whether oral or written, do not constitute warranties by Walker, and should not be relied upon.
- D. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



WALKER MFG. CO. 5925 E. HARMONY ROAD, FORT COLLINS, CO 80528 (970) 221-5614
FORM NO. 072601 PRINTED IN USA ©2001 WALKER MFG. CO
www.walkermowers.com