
Walker Rider Lawnmowers

ILLUSTRATED PARTS MANUAL

Model MC (16 HP)



Effective Date: 02-07-97

P/N 6000-2 Price \$5.00

KEY TO ABBREVIATIONS USED IN THIS MANUAL

What it Represents

Abbreviation

Abbreviation	wnat it Hepresents
AT	All-Terrain
CCW	Counter-clockwise
Conn	Connector
CW	
DGHS	
DML	Deck, Mulching (number refers to size in inches)
DSD	Deck, Side Discharge (number refers to size in inches)
ESNA (Fastener)	Nylon Insert Locknut
FSC	Forward Speed Control
GA	Gauge
gal	gallon
GHS	Grass Handling System
GR (Fastener)	Grade
ID	Inside Diameter
" or in. (Dimension)	inches
LH	Left Hand (orientated with operator on seat)
mm (Dimension)	millimeters
MS (Fastener)	Machine Screw
NS (as part number)	Item is not sold by Walker Manufacturing
OD	
oz	ounce
PFHMS (Fastener)	Phillips Flat Head Machine Screw
P/N	Part Number
PPHMS (Fastener)	Phillips Pan Head Machine Screw
PPHSM (Fastener)	Phillips Pan Head Sheet Metal (Screw)
PPHST (Fastener)	Phillips Pan Head Self-Tapping (Screw)
PTHMS (Fastener)	Phillips Truss Head Machine Screw
PTO	Power Take-Off
QKS	Quick Slide
•	quart
SAE (Fastener)	Society of Automotive Engineers
SBH (Fastener)	Socket Button Head (Bolt)
SD	Side Discharge
SFH (Fastener)	Slotted Flat Head
SHC (Fastener)	Socket Head Cap
SHL (Fastener)	Shoulder (Bolt)
. •	Spring
,	Square Head
	Stainless Steel
Term	Terminal
Use only genuine Walker replacement parts.	Effective Date 02-07-97

ILLUSTRATED PARTS LIST

Section of Mower Covered	Page	Section of Mower Covered	Page
Decals		GHS 6.7 Bushel Catcher &	
		Exhaust Deflector Assemblies	24
Tractor Decals	2	Electrical Assembly	26
Body / Chassis Assemblies		Special Options	
Body / Chassis Assembly (GHS Models)	4	7400 Parking Brake Kit	28
Body Assembly (SD Models)	6*	5989 Light Kit	30
		5885 Armrest Kit & Walker Touch-Up Paint	32
Tractor Components		5638 Cold Start &	
		5190 Acoustical Sound Barrier Kits	34
Main Component Power Transmission		8072 All-Terrain Tire Kit & Tire Chain Sets	36
(GHS Models)	8		
(SD Models)	10	Maintenance	
Engine Group	12		
Hydrostatic Ground Drive Assemblies	14	Lubrication Points	38
Steering Control Assemblies	16	Wiring Schematic	40
Throttle & Choke Control Assemblies	18		
GHS Group	20	Warranty	
GHS Powerfil® Assembly	22		
		Limited Warranty	41

Refer to GHS Body Assembly (Page 4) for all

common parts used on both models.

TRACTOR DECALS


NO.	PART NO.	DESCRIPTION	LOCATION	NO. REQ'D. GHS	NO. REQ'D SD
Walk	er Produc	t and Operation Decals			
1	5801	GHS	6.7 Bushel Catcher (one on each side)	2	0
2	5803	Walker Manufacturing Logo	Body	1	1
3	5856	Made in USA	Body, Spring Bracket	1	1
4	5800	Walker Mower (4 x 7-1/2)	Utility Bed (one on each side)	0	2
5	5813-1	Powerfil [®]	6.7 Bushel Catcher, Front	1	0
6	5802-2	LH Fender	Body, LH near Seat	1	1
7	5802-1	RH Fender	Body, RH near Seat	1	1
8	6806	Blade Clutch	Body	1	1
Dang	er Decals	Warning Decals Caution Decals			
9	5805	Caution, Engine Exhaust	Body, LH Side	1	1
10	5861	Danger, Raised Body	Body - Underside, Center*	1	1
11	5804	Warning, Rotating Blower Blades	Body near Body Chute	1	0
12	6810	Danger, Engine Exhaust	Engine	1	1
13	5868	Danger, Pinch Point	6.7 Bushel Catcher Mounting Frame Assembly (one on each side)	2	0
Maint	tenance D	ecals			
14	6838	Gates Belts	Body - Underside, Center*	1	1
15	5815	Body Lift	Rear Bumper	1	1
16	6811	Precleaner Jar	Glass Collection Jar, Precleaner Assembly	1	1
17	5855	Important, Engine Cooling	Engine	1	1
18	5819	Blower Maintenance	Blower Housing	1	0
19	5810	Reservoir	Hydrostatic Drives (one on each)	2	2
20	5810-1	Axle Oil Level	Gear Axle Drive Assemblies (one on each)	2	2
21	6875	PTO Alignment Arrow	Universal Joint Tube Assembly	1	1
22	5859	Lights Only	Wire Harness Plug (Light Connection)	1**	1**
23	5869	Removable Screen	6.7 Bushel Catcher Removable Screen	1	0
Optio	n Decals*	**			
24	7809	Parking Brake	Body, RH below seat	1	1
25	5802	Cold Start	Body, Rear RH Side, above lever	1	1

With Installation of 5190 Acoustical Sound Barrier Kit, these Decals move to Inner LH Side of Body.

NOTE: All parts requiring decals are shipped with decals applied.

 ^{**} This Decal furnished with Wire Harness.
 *** Option Decals applied only to units with corresponding Options installed.

TRACTOR DECALS




Effective Date 02-07-97

BODY / CHASSIS ASSEMBLY (GHS MODELS)

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
							neg D
Seat	Assembly			32	5070-5	Wheel & Tire Assembly (18 x 8.50-8)	2
oout !	Accombiy			02	5070-2	Tire Only (18 x 8.50-8)	*
1	5103	Seat	1		5070-4	Wheel Only (8 x 7)	*
2	7203	Seat Spring Plate	1		5033-2	Wheel & Tire Assembly (18 x 6.50-8)	***
3	7223	Compression Spring (1/2 x 1)	2		5030-2	Tire Only (18 x 6.50-8)	*
4	7846	Rubber Washer (3/8 ID x 1-1/4 OD x 1/8)			5031-2	Wheel Only (8 x 5.5)	*
5	7205-5	Pivot Pin	1		5030-4	Tire Tube, Optional (18 x 8.50-8)	*
6	7845	Rubber Bumper (1.375 OD x .63)	2	33	6300-2	Chassis Frame	1
7	7204	Shoulder Bolt, Seat Mount	2				-
8	5103-2	Pivot Bushing	4	Faste	ners		
9	7205-1	Lower Plate, Seat Hinge	1				
10	7205-2	Upper Plate, Seat Hinge	1		F002	10-24 Keps Nut	2
	7205	Seat Hinge Assembly	*		F009	5/16-18 Whiz Locknut	12
		(Includes Items # 5, 8, 9, 10 & F069)			F012	3/8-16 Keps Nut	2
		, , , , , , , , , , , , , , , , , , , ,			F013	3/8-16 Whiz Locknut	2
Rear	Bumper As:	sembly (GHS Models Only)**			F014	3/8-16 ESNA Nut	4
	•	• • • • • • • • • • • • • • • • • • • •			F016	1/2-13 Self-Locking Nut	1
11	5566	Tilt Stop Strap	1		F026	10-24 x 1/2 PPHMS	1
12	5516	Rear Bumper (6.7)	1		F027	10-24 x 5/8 PPHMS	1
13	7516-5	Catcher Pivot Bushing	2		F034	5/16-18 x 3/4 Hex Bolt	4
14	5162	Roller Wheel (5")	2		F040	3/8-16 x 1-1/2 Hex Bolt	2
15	7517-2	Catcher Pivot Plate	2		F048	1/2 SAE Washer	2
					F051	3/8 SAE Washer	2
Body	Assembly				F059	3/8 Wave Spring Washer	2
					F060	AN960516 Washer	2
16	6100	Welded Body	1		F069	3/32 x 1/2 Cotter Pin	2
17	5989-3	Dome Plug (5/16)	2		F086	#10 SAE Washer	1
18	5989-4	Dome Plug (3/8)	2		F087	#10 x 7/8 Fender Washer	2
19	7146	13 mm Ball Stud	2		F091	5/16-18 x 5/8 Hex Bolt	4
20	5145	Gas Spring Assembly	1		F113	5/16-18 x 5/16 Set Screw	2
		(Includes Items # 19 & 21)			F151	3/8-16 x 7/8 Hex Bolt	2
21	7147	Spring Clip	2		F157	1/2-20 x 1-1/4 Wheel Lug Bolt	8
22	5180	Edge Molding, Lever Opening	2		F206	#2 x 3/16 Drive Pin	2
23	5989-5	Dome Plug (7/16)	1		F227	3/8 x 1-1/4 x 1/8 Plastic Washer	2
24	NS	Body ID Plate	1		F241	.375 x .875 x .10 Washer	4
					F292	1/2-13 x 8-1/2 Hex Bolt GR 2	1
Chas	sis Assemb	ly		* (<u>.</u> .		
	5045	D.I. D. (4.50.0D. 4.05)			Service Part		
25	5845	Rubber Bumper (1.50 OD x 1.25)	2	r	•	er Assembly for SD Models is not shown h	ere.
26	5267-1	Retainer Collar (1")	1			ly Assembly (SD Models), Page 6.	
07	F070 4	(Includes Item # F113)	•	ľ		ered as a factory-installed option or for dea	
27	5270-1	Pivot Bearing	2			Narrow Drive Tires are used when installin	g a 36"
28	5420-2	Tail Wheel Fork	1	L	реск. Conta	ct your Walker dealer.	
29	5037-1	Bearing	2	NATE	. Decele (nakin ananankhi ana matakanan kana B	
30	5035	Tail Wheel & Tire Assembly (13 x 6.50-6)	1	NOTE		r this assembly are not shown here. Referenced (Regard 2) for Record libiting and allowed	
	5035-1	Tire Only (13 x 6.50-6)	*			ecals (Page 2) for Decal listing and place	ment
04	5036	Wheel & Hub Only (6 x 4.5)			informatio	on.	
31	5038-1	Axle Spacer Tube (6-5/8)	1				


BODY / CHASSIS ASSEMBLY (GHS MODELS)



BODY ASSEMBLY (SD MODELS)

NO.	PART NO.	DESCRIPTION	NO. REQ'D	NO.	PART NO.	DESCRIPTION	NO. REQ'D
Utility	y Bed Asse	embly			F020	5/16-18 ESNA Nut	2
	•	•			F025	10-24 x 3/8 PPHMS	4
1	5650	Utility Bed	1		F033	1/4-20 x 1 PTH Bolt	2
2	5588	Rubber Bumper (.75 OD x .50)	3		F034	5/16-18 x 3/4 Hex Bolt	4
3	5651	Utility Bed Mount, RH	1		F050	1/4 SAE Washer	2
4	5652	Utility Bed Mount, LH	1		F059	3/8 Wave Spring Washer	2
					F079	A/A66D Aluminum Pop Rivet	3
Rear	Bumper As	ssembly (SD Models Only)*			F084	5/16 Wave Spring Washer	2
					F087	#10 x 7/8 Fender Washer	3
5	5153-2	Cover Plate	1		F091	5/16-18 x 5/8 Hex Bolt	6
6	5112	Rear Bumper	1				
7	5161	Bumper Pad	2	*	Rear Bump	er Assembly for GHS Models is not sho	wn here.
8	5162	Roller Wheel (5")	2		Refer to Bo	dy / Chassis Assembly (GHS Models),	Page 4.
Faste	eners			NOT		Body / Chassis Assembly (GHS Models mmon parts used on both models.	s), Page 4,
	F002	10-24 Keps Nut	4				
	F005	1/4-20 ESNA Nut	2	NOT	E: Decals f	or this assembly are not shown here. Re	efer to
	F009	5/16-18 Whiz Locknut	8	-		Decals (Page 2) for Decal listing and pla	
	F014	3/8-16 ESNA Nut	2		informat		


BODY ASSEMBLY (SD MODELS)



MAIN COMPONENT POWER TRANSMISSION (GHS MODELS)

NO.	PART NO.	DESCRIPTION	NO. REQ'D	NO.	PART NO.	DESCRIPTION	NO. REQ'D
Engir	ne PTO Ass	sembly		PTO	Drive Shaft	t Assembly	
1	5830	Grease Fitting	3	20	5263	Pillowblock Bearing	1
2	6350	Engine Belt Tightener Arm	1			(Includes Item # 21)	
		(Includes Item # 1)		21	5830-4	Grease Fitting (90 Degree)	1
3	6245-1	Hub, Idler Pulley Bearing	1	22	5274	PTO Drive Shaft	1
4	6245	Idler Pulley (3 / 3V)	1	23	5264	Pillowblock Bearing, Short Mount	1
5	5265	Bearing (3/4)	1			(Includes Item # 1)	
6	5841	Retainer Washer	1	24	5275	Universal Joint Tube Assembly	1
7	6230-2	Engine/PTO Belt	1			(Includes Item # F076)	
		(3VX425 matched set of 2)					
8	6050-1	Tee Gearbox Mount Bar	1	Faste	ners		
9	6050	Tee Gearbox	1				
10	5843-1	Clutch Spacer Washer			F012	3/8-16 Keps Nut	13
		(.750 ID x 1.375 OD)	1		F038	3/8-16 x 1 Hex Bolt	2
		(For Tee Gearbox Shaft)			F039	3/8-16 x 1-1/4 Hex Bolt	5
11	6240-1	Engine Pulley (4-1/2 / 3V)	1		F040	3/8-16 x 1-1/2 Hex Bolt	3
		(Includes Item # F114)			F041	3/8-16 x 1-3/4 Hex Bolt	1
12	6240-2	Drive Pulley (4-1/2 / 3V)	1		F051	3/8 SAE Washer	4
		(Includes Item # F114)			F065	3/16 x 3/4 Woodruff Key (#10)	2
13	5743	Extension Spring (1 x 5-1/4)	1		F067	3/16 x 3/16 x 1 Key	1
					F070	1-3/4 Internal Snap Ring	1
Trans	mission D	rive Assembly			F076	3/8-16 x 5/8 SQH Set Screw	1
					F114	5/16-18 x 5/8 SQH Set Screw	4
14	6325	Belt Tightener Arm	1		F137	3/8-16 x 1/2 x 2 SHL Bolt	2
		(Includes Item # 1)			F149	1/4 x 1/4 x 1-1/2 Key	1
15	6325-2	Spacer Bushing (5/16)	1		F153	3/16 x 3/16 x 1-1/4 Key	1
16	5245	Idler Pulley (3")	2		F171	5/16-18 x 3/8 Set Screw	2
17	5219	Extension Spring (3/4 x 6-3/4)	1				
18	5236-1	Transmission Drive Pulley (3-1/4 / A)	1	NOTE	: Decals fo	or this assembly are not shown here. Ref	fer to
		(Includes Item # F171)				Decals (Page 2) for Decal listing and place	
19	6232	Ground Drive Belt (#6845)	1		information	on.	


MAIN COMPONENT POWER TRANSMISSION (GHS MODELS)



MAIN COMPONENT POWER TRANSMISSION (SD MODELS)

NO.	PART NO.	DESCRIPTION	NO. REQ'D	NO.	PART NO.	DESCRIPTION	NO. REQ'I
Engir	ie PTO Ass	sembly		28	5236-1	Transmission Drive Pulley (3-1/4 / A)	1
1	5830	Grease Fitting	4	29	5219	(Includes Item # F171) Extension Spring (3/4 x 6-3/4)	1
2	6350	Engine Belt Tightener Arm (Includes Item # 1)	1	30	6232	Ground Drive Belt (#6845)	1
3	6245-1	Hub, Idler Pulley Bearing	2	PTO I	Drive Shaft	: Assembly	
4	6245	Idler Pulley (3 / 3V)	2			•	
5	5265	Bearing (3/4)	2	31	5830-4	Grease Fitting (90 Degree)	1
6	5841	Retainer Washer	2	32	5263	Pillowblock Bearing	1
7	6230-2	Engine/PTO Belt	1			(Includes Item # 31)	
		(3VX425 matched set of 2)		33	5274	PTO Drive Shaft	1
8	6050-1	Tee Gearbox Mount Bar	1	34	5264	Pillowblock Bearing, Short Mount	1
9	6050	Tee Gearbox	1			(Includes Item # 1)	
10	5843-1	Clutch Spacer Washer (.750 ID x 1.3	75 OD)1	35	5275	Universal Joint Tube Assembly	1
		(For Tee Gearbox Shaft)	,			(Includes Item # F076)	
11	6240-1	Engine Pulley (4-1/2 / 3V)	1			(
		(Includes Item # F114)		Faste	ners		
12	6240-2	Drive Pulley (4-1/2 / 3V)	1				
	*	(Includes Item # F114)			F004	1/4-20 Keps Nut	2
13	5743	Extension Spring (1 x 5-1/4)	2		F012	3/8-16 Keps Nut	15
		,			F038	3/8-16 x 1 Hex Bolt	2
Clutc	utch / PTO Assembly				F039	3/8-16 x 1-1/4 Hex Bolt	5
0.0.0					F040	3/8-16 x 1-1/2 Hex Bolt	3
14	6231	Drive Belt (3VX355)	2		F041	3/8-16 x 1-3/4 Hex Bolt	2
15	6242	Clutch Pulley (4-1/2 / 3V)	1		F051	3/8 SAE Washer	4
16	6410	Electric Clutch	1		F063	3/8 Internal Star Lock Washer	1
17	5843-2	Clutch Spacer Washer	i		F065	3/16 x 3/4 Woodruff Key (#10)	2
	00102	(For F142 Bolt at Clutch)	•		F067	3/16 x 3/16 x 1 Key	1
18	5222	Extension Spring (1/2 x 3-1/4)	1		F070	1-3/4 Internal Snap Ring	2
19	6411	Clutch Restraint Strut	1		F075	5/16-18 x 1/2 SQH Set Screw	1
20	6240-3	PTO Drive Pulley (5 / 3V)	1		F076	3/8-16 x 5/8 SQH Set Screw	· i
_0	0240 0	(includes items # F075 & F114)	'		F090	1/4-20 x 2-1/2 Hex Bolt	2
		(morados nomo // 1070 d. / 111)			F114	5/16-18 x 5/8 SQH Set Screw	5
PTO F	Relt Tighte	ner Assembly			F137	3/8-16 x 1/2 x 2 SHL Bolt	2
	Jen Hyme	ner Assembly			F138	3/8-16 x 1/2 x 1-1/2 SHL Bolt	1
21	6345	PTO Belt Tightener Arm	1		F139	1/4-20 x 5/16 x 1/4 SHL Bolt	1
_ '	0040	(Includes Item # 1)	•		F141	1/4-20 x 3/4 SHC Screw	4
22	6346-2	PTO Belt Tightener Mount (SD)	1		F142	3/8-24 x 1-1/2 Hex Bolt	1
23	6235	Spring, Belt Tension Cam	1		F149	1/4 x 1/4 x 1-1/2 Key	1
24	6236	Belt Tension Cam, PTO	1		F150	3/16 x 3/16 x 2-1/4 Key	1
	0200	Beit Tension Cam, 1 10	•		F153	3/16 x 3/16 x 1-1/4 Key	1
Trans	mission D	rive Assembly			F171	5/16-18 x 3/8 Set Screw	2
25	6325	Belt Tightener Arm	1	NOTE	: Decals fo	or this assembly are not shown here. Refe	r to
		(Includes Item # 1)			Tractor D	ecals (Page 2) for Decal listing and place	ment
26	6325-2	Spacer Bushing (5/16)	1		information		
27	5245	Idler Pulley (3")	2				


MAIN COMPONENT POWER TRANSMISSION (SD MODELS)



ENGINE GROUP

NO.	PART NO.	DESCRIPTION	NO. REQ'D	NO.	PART NO.	DESCRIPTION	NO. REQ'D
Fuel	Tank Asser	nbly		22	5897	Band Clamp (3-1/8 to 5)	2
		·		23	6013-1	Muffler Heat Shield	1
1	5083-1	Bushing, Rubber	*	24	6013	Muffler	1
2	5083	Fuel Shut-Off Valve & Filter	*	25	6048	Exhaust Gasket	1
3	5879-3	Hose Clamp (1/2)	3	26	6080-1	Engine Air Duct, Upper Half	1
4	6015-1	Fuel Line, Tank (1/4 x 4)	1	27	6012	Starter Bracket, Kohler M16AQS	1
5	5020	Fuel Filter	1	28	6835	Clamp, 7/16 Half Clamp	1
6	6015-2	Fuel Line, Pump In (1/4 x 11)	1				
7	5879-2	Hose Clamp (7/16 Silver)	1	Faste	eners		
8	6046	Fuel Tank, 3.0 gal., Gas	1				
		(Includes Items # 1, 2, 9 & 10)			F002	10-24 Keps Nut	3
9	5082-2	Fuel Cap Seal	*		F007	5/16-18 Jam Nut	2
10	5082	Fuel Tank Cap	*		F012	3/8-16 Keps Nut	1
		(Includes Item # 9)			F025	10-24 x 3/8 PPHMS	3
					F029	1/4-20 x 1/2 Hex Bolt	2
Preck	eaner Asse	mbly			F038	3/8-16 x 1 Hex Bolt	1
					F053	7/16 Internal Star Lock Washer	2
11	6011-10	Hose Clamp (3/4 to 1-1/4)	1		F057	#10 Split Lock Washer	2
12	6011-0	Precleaner Housing	1		F060	AN960516 Washer	2
		(Includes Item #13)			F061	1/4 Internal Star Lock Washer	2
	6011-11	Precleaner Assembly	*		F086	#10 SAE Washer	1
		(Includes Items # 11, 12, 13 & 14)			F092	5/16-18 x 3/4 SHC Screw	2
13	6016-1	Rubber Gasket	1		F140	7/16-14 x 1 Hex Bolt	2
14	6016-2	Glass Collection Jar	1		F152	10-32 x 1/4 Indented Hex MS	2
15	6011-9	Threaded Rubber Stop	1		F184	1/4-20 x 1/2 Hex Bolt SS	6
					F185	1/4 Internal Star Lock Washer, SS	6
Engir	ne & Exhau	st Assemblies			F207	3/8-16 x 1-1/4 GR 8 Bolt	4
					F278	3/8 Split Lock Washer	4
16	NS	16 HP Engine (Kohler M16AQS 711562)	1				
17	NS	Foam Precleaner (Kohler 45-083-01)	1	* (Service Par	t Only	
18	NS	Engine Air Filter (Kohler 45-083-02)	1				
19	6047	Exhaust Pipe Assembly	1	NOTE	E: Decals fo	or this assembly are not shown here. Ref	er to
20	6080-2	Engine Air Duct, Lower Half	1		Tractor E	Decals (Page 2) for Decal listing and plac	ement
21	6340	Engine Brace	1		informati	on.	

ENGINE GROUP




HYDROSTATIC GROUND DRIVE ASSEMBLIES

NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Trans	smission Lo	ockout Assembly		Tran	smission R	epair Parts*	
1	5027	Lockout Mount	2	23	5025-5	Input Shaft	*
	5028-3	Transmission Lockout Assembly	*	24	5025-8	Bearing, Input	*
		(Includes Items # 1, 2, 3, 4, F023 & F027))	25	5025-7	Snap Ring	*
2	5028	Lockout Lever	2	26	5025-2	Seal, Input Shaft	*
3	5057	Lockout Cam	2	27	5022	Reservoir to Casting Gasket	*
		(Includes Item # F081)		28	5024	Reservoir Cap and Gasket	*
4	5847	Plastic Tip, Lockout Lever	2	29	5023	Transmission Reservoir Kit	*
				30	5023-1	Rubber Bladder	*
Grou	nd Drive As	ssemblies		31	5025-6	O-Ring & Plug Assembly	*
				32	5025-3	Seal, Control Shaft	*
5	6209	Bridge Assembly	1				
6	6243-2	Hydro Fan, CCW	1	Fast	eners		
7	5026	Hydrostatic Drive, CW (700-031)	1				
8	6206	Pressure Relief Valve	*		F023	10-24 ESNA Nut	2
9	6200-5	Gear Axle Drive Assembly	2		F027	10-24 x 5/8 PPHMS	2
		(Includes Items # 8 & F259)			F036	1/4-20 x 1/2 SBH Screw	2
10	6233-1	Pinion Gear	2		F038	3/8-16 x 1 Hex Bolt	4
11	6234	Spacer, Pinion Gear	2		F040	3/8-16 x 1-1/2 Hex Bolt	4
12	6201	O-Ring Seal	2		F043	3/8-16 x 3 Hex Bolt	8
13	6244	Hydro Pulley (4 / A)	2		F053	7/16 Internal Star Lock Washer	4
14	6243-1	Hydro Fan, CW	1		F063	3/8 Internal Star Lock Washer	16
15	5025	Hydrostatic Drive, CCW (700-032)	1		F064	1/8 x 1/2 Woodruff Key (#3)	4
					F081	A/A45D Aluminum Pop Rivet	2
Deck	Support Ar	m Assemblies			F160	External Snap Ring (.669 Shaft)	2
					F178	1/4 x 1 Fender Washer	2
16	6430-10	Outboard Mount, LH	1		F194	7/16 x 1-1/4 x 1-8 Washer	2
17	6430-2	Deck Support Arm, LH	1		F200	7/16-20 x 3 GR 8 Bolt	2
		(Includes Item # 21)			F205	5/16-18 x 1/4 Set Screw, Knurl Point	4
18	5775-2	Hitch Pin (#6)	2		F244	7/16-20 x 3/4 Hex Bolt	2
19	6430-1	Deck Support Arm, RH	1		F259	5/8-18 x 1 Hex Bolt GR 5 - Plated	2**
		(Includes Item # 21)					
20	6430-9	Outboard Mount, RH	1		Service Par	Only	
21	5830	Grease Fitting	2	**	With Installa	tion of 7400 Parking Brake Option, this pa	art is
22	6840-1	Support Arm Bushing	2			P/N 7403 (Plunger Bushing, Gear Axle).	

NOTE: Decals for this assembly are not shown here. Refer to Tractor Decals (Page 2) for Decal listing and placement information.

HYDROSTATIC GROUND DRIVE ASSEMBLIES




Effective Date 02-07-97

Use only genuine Walker replacement parts.

STEERING CONTROL ASSEMBLIES

NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Trans	smission S	Spring Assembly		29	5142-2	FSC Actuator Cam	1
				30	5172	Bearing, Nylon (.255 ID x .379 OD x .250) 1
1	5197	J-Bolt	2	31	5173	FSC Actuator Rod	1
2	5193	Washer (.750 ID x 1.00 OD x .085)	2	32	5975-3	Cable Tie (50# x 7")	1
3	5195	Compression Spring (1 x 5-1/8)	2	33	7170	FSC Lever Assembly	1
4	5191	Spring Slide	2			(includes Item # 18)	
5	5194	Plunger Sleeve	2	34	5862	FSC Knob	1
6	5192	Spring Plunger	2				
7	5552	Ball Joint (1/4-28)	2	Fast	eners		
	5199	Transmission Spring Assembly	*				
		(Includes Items # 1-7, F003,			F003	1/4-28 Hex Nut	3
		F146, F287 & F293)			F004	1/4-20 Keps Nut	6
		,			F007	5/16-18 Jam Nut	1
Steer	ing Lever	& FSC Assemblies			F008	5/16-24 Keps Nut	2
					F009	5/16-18 Whiz Locknut	1
8	5212	Transmission Control Arm, RH	1		F010	5/16-24 ESNA Nut	2
9	5141	FSC Friction Washer	2		F012	3/8-16 Keps Nut	
10	5140	FSC Friction Body	1		F024	5/16-24 Jam Nut	2 2
		(Includes Item # 18)	•		F032	1/4-20 x 3/4 Hex Bolt	3
11	5142-5	FSC Key	1		F034	5/16-18 x 3/4 Hex Bolt	1
	5140-3	FSC Control Assembly	*		F050	1/4 SAE Washer	3
		(Includes Items # 9, 10, 11, 18, 29,			F051	3/8 SAE Washer	2
		F192 & F193)			F064	1/8 x 1/2 Woodruff Key (#3)	2
12	5214-2	Ball Joint (5/16-24), Nylon Lined	2		F068	1/8 x 1 Cotter Pin	1
13	5212-2	Transmission Control Arm, LH	1		F069	3/32 x 1/2 Cotter Pin	1
14	5850	Handle Grip, Foam	2		F093	5/16-18 x 1 Hex Bolt	1
15	5213-2	Control Rod, LH (6")	1		F104	1/4-20 x 3/4 PFH Bolt	1
16	5223	Extension Spring (1/4 x 5-1/2)	2		F134	AN960816L Washer	3**
17	5450	D-Clip	2		F146	1/4-20 Jam Nut	2
18	5830	Grease Fitting	6		F182	1/4 x 5/8 x 1/8 Washer	2
19	5214-1	Bearing, Steering Lever Actuator	2		F183	.312 x .700 x .074 Washer	2
20	5463	Steering Lever Actuator	2		F186	5/64 x 1/2 Cotter Pin	1
21	5451-2	Steering Lever, LH	1		F192	3/8-24 Self-Locking Nut	1
	0.01 2	(Includes Item # 18)	•		F193	3/8 Belleville Spring Washer	3
22	5217	Pivot Pin, Steering Lever	1		F287	1/4-28 Keps Nut	2
23	5470-1	Speed Control Stop	1		F293	1/8 X 1 Roll Pin	2
24	5450-2	Steering Lever, RH	1		1 200	NO X THORTER	_
	0-100 £	(Includes Item # 18)	'	*	Service Par	t Only	
25	5213-1	Control Rod, RH (15")	1			mber used per assembly. Adjust as required	
26	5281-5	Clevis Pin (1/4 x 0.80)	1		woraye nu	mbor doed per docembly. Adjust as required	•
27	5280	Clevis (1/4)	1	NOT	F• Decale fo	or this assembly are not shown here. Refer to	Tranto
28	5219	Extension Spring (3/4 x 6-3/4)	1			Page 2) for Decal listing and placement infor	
20	JE 13	Extension opining (3/4 x 0-3/4)	1		Decais (1	age 2) for Decar ilsuing and placement infor	madon.


STEERING CONTROL ASSEMBLIES



THROTTLE & CHOKE CONTROL ASSEMBLIES

NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Thro	ttle & Choke	e Control Assemblies		15	6108	Throttle Control and Cable Assembly (Complete Control and Cable Assembly)	*
1	5832	Cable Clamp (1/2)	2	16	6109	Choke Control and Cable Assembly	*
2	5975-2	Cable Tie (30# x 6")	1			(Complete Control and Cable Assembly)	
3	5108-3	Throttle Cable	1			()	
4	5108-4	Choke Cable	1	Fast	eners		
5	5172	Nylon Bearing	2				
6	5108-7	Control Lock Tab	2		F002	10-24 Keps Nut	8
7	5108-10	Friction Washer (.125)	2		F005	1/4-20 ESNA Nut	2
8	5108-1	Control Lever, Throttle & Choke	2		F025	10-24 x 3/8 PPHMS	6
9	5108-5	Throttle Control Knob, Red	1		F050	1/4 SAE Washer	2
10	5108-11	Friction Washer (.062)	2		F164	10-24 x 1/4 x 3/8 SHL Bolt	2
11	5108-8	Control Bracket	2		F201	1/4 Belleville Spring Washer	4
12	7108	Control Assembly, Throttle and Choke	*			. •	
13	5108-6	Choke Control Knob, Black	1	*	Service Pa	rt Only	
14	NS	Wire Nut (Kohler)	1			•	


THROTTLE & CHOKE CONTROL ASSEMBLIES



GHS GROUP

NO.	PART NO.	DESCRIPTION	NO. REQ'D	NO.	PART NO.	DESCRIPTION	NO. REQ'D
Doliv	ery Chute	Accombin		28	6545	Blower Wheel (10")	4
Deliv	ery Chute I	Assembly		20 29	6525-2	Face Plate (10" Blower)	1
1	5515-2	Elbow Delivery Spout	1	30	6526	Blower Intake Tube (6-1/2 x 2-1/2)	1
2	5594	Vane Assembly, Grass Pak Switch	1	31	5595-2	Intake Cover (10" Blower)	**
_	0004	(Includes Items # F130, F144 & F145)	•	32	6528	Skid Bar (10" Blower)	1
3	5592	Grass Pak Switch Assembly	1	02	0020	Ond Bar (10 Blower)	•
4	5578	Rear Clip, Chute Mount	1	Faste	eners		
5	5577	Side Clip, Chute Mount	2				
6	5511-3	Delivery Chute Assembly, (6.7)	1		F002	10-24 Keps Nut	4
Ū		(Includes Items # 4, 5, F079 & F085)			F004	1/4-20 Keps Nut	8
7	6530	Body Chute (10")	1		F009	5/16-18 Whiz Locknut	1
-		212, 311012 (11)	· ·		F012	3/8-16 Keps Nut	4
Clutc	h / PTO As	sembly			F025	10-24 x 3/8 PPHMS	4
•		,			F034	5/16-18 x 3/4 Hex Bolt	1
8	5222	Extension Spring (1/2 x 3-1/4)	1		F038	3/8-16 x 1 Hex Bolt	2
9	6411	Clutch Restraint Strut	1		F041	3/8-16 x 1-3/4 Hex Bolt	1
10	5841	Retainer Washer	1		F063	3/8 Internal Star Lock Washer	1
11	5265	Bearing (3/4)	1		F067	3/16 x 3/16 x 1 Key	1
12	6245	Idler Pulley (3 / 3V)	1		F070	1-3/4 Internal Snap Ring	1
13	6245-1	Hub, Idler Pulley Bearing	1		F074	1/4-20 x 3/8 Set Screw	2
14	6240-3	PTO Drive Pulley (5 / 3V)	1		F075	5/16-18 x 1/2 SQH Set Screw	1
		(Includes Items # F075 & F114)			F079	A/A66D Aluminum Pop Rivet	14
15	6239	Blower Pulley (4 / 3V)	1		F085	3/16 Rivet Backup Washer	8
		(Includes Items # F114 & F163)			F086	#10 SAE Washer	4
16	6230-2	Engine/PTO Belt	1		F114	5/16-18 x 5/8 SQH Set Screw	2
		(3VX425 matched set of 2)			F124	10-32 x 3/8 Taptite Machine Screw	4
17	6242	Clutch Pulley (4-1/2 / 3V)	1		F130	10-24 x 3/16 Set Screw	1
18	6410	Electric Clutch	1		F132	1/4-20 x 2-3/4 Hex Bolt	2
19	5843-2	Clutch Spacer Washer	1		F138	3/8-16 x 1/2 x 1-1/2 SHL Bolt	1
		(For F142 Bolt at Clutch)			F139	1/4-20 x 5/16 x 1/4 SHL Bolt	1
					F141	1/4-20 x 3/4 SHC Screw	4
PTO I	Belt Tighte	ner Assembly			F142	3/8-24 x 1-1/2 Hex Bolt	1
					F144	4-40 x 1/4 PPHMS	1
20	5830	Grease Fitting	1		F145	4-40 Keps Nut	1
21	6345	PTO Belt Tightener Arm	1		F150	3/16 x 3/16 x 2-1/4 Key	1
		(Includes Item # 20)			F163	5/16-18 x 3/4 SQH Set Screw	1
22	5743	Extension Spring, (1 x 5-1/4)	1				
23	6346-8	PTO Belt Tightener Mount (GHS)	1		Service Par		
24	6236	Belt Tension Cam, PTO	1			r when not in use. Furnished only with M	
25	6235	Spring, Belt Tension Cam	1			Decks used on a GHS Tractor, Rotary Broand Snowblower Attachment.	oom
Blow	er Assemb	ly				•	
		•		NOT	E: Decals fo	or this assembly are not shown here. Refe	er to
26	5268	Bearing (3/4), Includes Locking Collar	2			ecals (Page 2) for Decal listing and place	
27	6543	Housing (10" Blower)	1		informati	,	
	6542	Complete Blower Assembly	*				


GHS GROUP



GHS POWERFIL® ASSEMBLY

NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
GHS	Powerfil [®] /	Assembly		Fast	eners		
1	5557	Motor Mount, Powerfil®	1		F002	10-24 Keps Nut	14
2	5857	Wire Clamp (1/8 J-Clip)	3		F003	1/4-28 Hex Nut	4
3	5551-3	Bearing Cap, Powerfil®	1		F025	10-24 x 3/8 PPHMS	2
4	5551-1	Pivot Bearing (#S3PP)	2		F054	AN960616 Washer	1
5	5552	Ball Joint (1/4-28)	2		F061	1/4 Internal Star Lock Washer	1
6	5518-2	Pivot, Delivery Spout	1		F086	#10 SAE Washer	1
7	5517-2	Pivot Mount	1		F101	10-24 x 1-1/4 SHC Screw	1
8	5558-1	Powerfil [®] Push Rod	1		F109	1/8 x 5/8 Roll Pin	1
9	5553-3	Bushing, Powerfil® Actuator	4		F129	10-24 x 1/2 PTHMS	11
10	5558-2	Powerfil [®] Actuator Rod	1		F261	AN960616L Washer	1
	5549	Actuator Rod Assembly	*				
		(Includes Items # 5, 8, 9, 10, 11 & F003)	*	Service Pa	rt Only	
11	5553-1	Spring, Powerfil [®] Actuator	2				
12	5554	Actuator Arm	1				
13	5519-3	Motor Mount Nut (5/8-24 Panel Nut)	*				
14	5519-2	Motor Mount Washer	*				
15	5519	Actuator Motor (12/24V)	1				
		(Includes Items # 13 & 14)					
16	5977	Grommet (1/2 ID x 7/8 OD x 1/16)	1				


GHS POWERFIL® ASSEMBLY



GHS 6.7 BUSHEL CATCHER & EXHAUST DEFLECTOR ASSEMBLIES

NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
Uppe	r Baffle Sc	reen Assembly (Removable)		5598	3 Optional	Dump Bag (Not Shown)**	
1	7509-3	Channel Bottom	2	Fast	eners		
2	7505	Mustache Spring	2				
3	6507	Screen Seal, 6.7 (24")	1		F002	10-24 Keps Nut	21
4	6856-1	Edge Molding, 6.7 (21-3/4)	1		F004	1/4-20 Keps Nut	12
5	7509-2	Channel Top	2		F020	5/16-18 ESNA Nut	2
6	6512-2	Removable Screen (6.7)	1		F025	10-24 x 3/8 PPHMS	6
7	7506	Knob	2		F027	10-24 x 5/8 PPHMS	6
8	6509-4	C-Channel (6.7)	1		F035	5/16-18 x 1-1/4 Hex Bolt	1
		. ,			F037	10-24 x 5/8 PTH Screw	4
GHS	6.7 Bushel	Catcher Assembly			F049	5/16 SAE Washer	6
					F079	A/A66D Aluminum Pop Rivet	29
9	5584	Reinforcing Strap, Catcher Top	2		F085	3/16 Rivet Backup Washer	13
10	5510-1	6.7 Bushel Catcher, Including Door	1		F129	10-24 x 1/2 PTHMS	4
	5502-1	6.7 Catcher, Without Powerfil®	*		F188	1/4-20 Self Locking Nut	17
		(Includes Door)			F195	1/4-20 x 3/4 PPHMS SS	16
	5502-2	6.7 Catcher Assembly (Includes Powerfil [®]	®) *		F196	1/4-20 x 1 PPHMS SS	2
	5502-3	6.7 Catcher Assembly and Bumper Moun			F198	.625 x .250 x .040 Washer, SS	17
		(Includes Bumper & Powerfil®)			F203	1/4-20 x 5/8 PPHMS SS	4
11	5583	Handle	2		F230	1/4-20 x 1-1/4 PPHMS SS	1
12	5514	Door Frame, Catcher (6.7)	1		F242	1/4-20 x 7/8 PPHMS SS	6
13	5588	Rubber Bumper (.75 OD x .50)	2		F252	10-24 x 3/4 PFHMS	1
14	5587	Extension Spring (3/4 x 6-1/2)	2		F255	5/16-18 x 1-1/2 Hex Bolt	1
15	5524	Hinge Bearing	2				
16	5523	Spring Hook	2	*	Service Pa	rt Only	
17	5522-1	Hinge Backup Plate, LH	1	**		lered as a factory-installed option or as a	kit for
18	5503	Mounting Frame, Catcher (6.7)	1			allation. Contact your Walker dealer.	
19	5513-1	Mounting Frame Doubler (6.7)	1			•	
20	5522-2	Hinge Backup Plate, RH	1	NOT	E: The Rer	movable Upper Baffle Screen is standard	
21	6508	Safety Latch Hinge	1		equipme	ent on GHS models starting with Serial N I3 and on. Order kit P/N 6520 for installa	lumber
5504	Exhaust D	eflector Kit**				nodels. Contact your Walker dealer.	uon on
22	5504-1	Exhaust Deflector (Two Piece Set)	1	NOT		for this assembly are not shown here. Re	
23	5504-3	Hinge, Exhaust Deflector	1		Tractor	Decals (Page 2) for Decal listing and pla	cement
24	5504-8	Deflector Mount Doubler	2		informat	tion.	

GHS 6.7 BUSHEL CATCHER & EXHAUST DEFLECTOR ASSEMBLIES




ELECTRICAL ASSEMBLY

NO.	PART NO.	DESCRIPTION	NO. REQ'D	NO.	PART NO.	DESCRIPTION	NO. REQ'D
Elect	rical Assen	nblv		42	5975-5	Wire Clip, Self Mount	3**
		· ·,			20,00	(SD Models use only 2)	•
1	5996-3	16-14 GA Ring Term., #10	*	43	5996-8	6 GA Ring Lug (5/16)	*
2	5599	Pigtail Wire Set, Horn	1	44	5996-9	22-18 GA Ring Term., #10	*
3	5975-3	Cable Tie (50# x 7")	2	45	5984	Electric Contact Spring	2**
4	7996-2	1/4 x 22-18 GA Flag Term., Cov. Female		46	5985-2	Power Lead Wire, Catcher	1**
5	5536-2	Horn, Full Signal	*	47	5996-13	16-14 GA Ring Term., #10	*
6	7942-1	2-Way Locking Connector, Female	*	48	5982-1	Insulator Washer, Plastic (2")	1**
7	5940-5	16-14 GA Spg. Loaded Term., Male	*	49	5982-2	Insulator Bushing, Plastic	1**
8	7942-4	Single Connector, Male	*	50	6832	Clamp (9/16 x 1/4)	2
9	5940-7	Brass Wire Clip, Female	*	51	6390	Battery Pan	1
10	5996	1/4 x 16-14 GA QKS Term., Female	*	52	6392	Battery Protector Plate	1
11	5975-1	Cable Tie (18# x 3-3/4")	4	53	5910	Battery (12V U1-SP30, Dry)	1
12	5988-1	Conduit Assembly, Powerfil® Wiring	1	54	6923	Negative Battery Cable	1
	5988-4	Powerfil® Conduit & Wire Assembly	*	55	5932	Battery Terminal Insul., Black (-)	1
		(Includes Items # 12 & 46)		56	5933	Battery Terminal Insul., Red (+)	1
13	5983	Power Lead Wire, Body	**	57	6922	Positive Battery Cable	1
14	6940	Wire Harness	1	58	6929	Starter Solenoid	1
15	6833	Clamp (9/16 x #10)	2	59	5996-10	16-14 GA Ring Term. (5/16)	*
16	8942	2-Way Connector, Male	*	60	5940-6	Fuse Holder with Terminals	*
17	5940-4	16-14 GA Spg. Loaded Term., Female	*	61	6941-1	20 Amp Fuse	*
18	7942-3	2-Way Connector, Female	*	62	6929-2	Solenoid Fuse Mount	1
19	5996-16	6 GA Ring Terminal (1/4)	*	63	5839	Hook Bolt, Battery Mount	2
20	7942-10	2-Way Locking Connector, Male	*	64	5844	Battery Hold-Down Bar	1
21	5941-1	Switch Boot (Fits P/N 5941)	*	٠.	0011	Balloty Flora Bollin Ball	•
22	5941	Safety Switch (Long, Normal Closed)	1	Faste	eners		
	0011	(Includes Item # 21)	•				
23	7942-2	2-Way Connector, Male	*		F002	10-24 Keps Nut	10
24	5942	Safety Switch (Normal Open)	1		. 002	(SD Models Use Only 4)	10
- '	00.2	(Includes Item # 25)	,		F004	1/4-20 Keps Nut	7
25	5942-1	Switch Boot (Fits P/N 5942)	*		F009	5/16-18 Whiz Locknut	1
26	5991-1	Hourmeter Power Lead Wire	1		F019	1/4-20 ESNA Wing Nut	2
27	8944-1	3-Way Locking Connector, Female	*		F025	10-24 x 3/8 PPHMS	2
28	5990	Hourmeter	1		F026	10-24 x 1/2 PPHMS	2
29	5991-2	Hourmeter Ground Wire	1		F029	1/4-20 x 1/2 Hex Bolt	1
30	5940-8	3-Way Connector, Male	*		F032	1/4-20 x 3/4 Hex Bolt	6
31	7942-5	5-Way Connector, Male	*		F050	1/4 SAE Washer	4
32	6950	PTO Switch (Includes Item # 33)	1		F085	3/16 Rivet Backup Washer	1**
33	NS	Nut (Included only with Item # 32)	*		F086	#10 SAE Washer	1**
34	6941	Relay Switch (30/40 Amp)	1		F093	5/16-18 x 1 Hex Bolt	1
35	5960-2	Ignition Key (1 Set)	i		F112	5/8 x 1-1/4 x .03 Washer	1
00	0000 2	(Includes Item # 11)	•		F147	10-24 x 1/2 PPHMS SS	3**
	5960-3	Key Tip Protector	1		F148	10-24 x 3/8 PPHMS SS	3**
36	5960-6	Ignition Switch Cover	1		, , , ,	.0 21 X 0/0 1 1 1 1 1 1 0 0 0 0	J
37	5960-5	Nylon Nut, Ignition Switch	1	*	Service Part	Only	
38	5960 5960	Ignition Switch (with Keys)	1		GHS Models		
55	5550	(Includes Items # 35, 36, 37 & F112)	'	,	J. 10 11104010	· •····j	
00	5940-2	5-Way Connector, Male	*	ΝΩΤΙ	E: Items 1 F	5 & 13 are Service Parts used exclusive	elv on GHS
39	JUTU-2						.,
39 40	5940-3	Ignition Switch Cover	1		Models.		

Decals (Page 2) for Decal listing and placement information.

ELECTRICAL ASSEMBLY



7400 PARKING BRAKE KIT

ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
7400	Parking Br	ake Kit*		Fast	teners		
1	7809	Decal, Parking Brake	1		F003	1/4-28 Hex Nut	2
2	7406-1	Handle Grip, Red	1		F004	1/4-20 Keps Nut	4
3	7406-5	Parking Brake Lever	1		F029	1/4-20 x 1/2 Hex Bolt	3
4	7406-2	Lever Mount	1		F032	1/4-20 x 3/4 Hex Bolt	1
5	5830	Grease Fitting	1		F054	AN960616 Washer	1
6	7407	Clevis Pin (3/16 x 1/2)	2		F061	1/4 Internal Star Lock Washer	1
7	7404	Brake Actuator Arm	2		F072	1/4 "E" Retainer Ring	2
8	7405	Pin, Transmission Lock	2		F086	#10 SAE Washer	4
9	7402	Clevis	2		F109	1/8 x 5/8 Roll Pin	2
10	7408	Compression Spring (1/2 x 3/4)	2		F111	1/8 x 3/4 Cotter Pin	1
11	7415	Rubber Dust Shield (5/8 x 3/8 x 1/32)	2		F112	5/8 x 1-1/4 x .03 Washer	2
12	5567-3	O-Ring Seal (1/4 x 3/8)	4		F127	1/16 x 1/2 Cotter Pin	4
13	7403	Plunger Bushing, Gear Axle	2**		F261	AN960616L Washer	6
14	7404-1	Brake Actuator Mount	2				
15	7412	Clevis Pin (3/16 x 3/4)	2	*		ered as a factory-installed option or as	a kit for
16	7410	Brake Control Cable, LH (27")	1			allation. Contact your Walker dealer.	
17	7409	Brake Control Cable, RH (21")	1	**	Replaces F	P/N F259 on Gear Axle Drive Assembly	upon
18	7401-3	Cable Mount Bracket	1		installation	of kit.	
19	7401-1	Cable Pull Rod	1				


1

20

5552

Ball Joint (1/4-28)

7400 PARKING BRAKE KIT




Effective Date 02-07-97

Use only genuine **Walker** replacement parts.

5989 LIGHT KIT

NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
5989	Light Kit*			Fast	eners		
1	5989-2	Light Assembly (Includes Sealed Beam Lamp)	2		F009 F091	5/16-18 Whiz Locknut 5/16-18 x 5/8 Hex Bolt	2 2
	5989-6	Sealed Beam Lamp (Fits 5989-2)	**		F134	AN960816L Washer	2
2	7834-1	Half U-Wire Clip	4			, ii 10000 102 17401101	-
3	5996-4	16-14 GA Bullet Conn., Male	**	*	May be ord	lered as a factory-installed option of	r as a kit for
4	5996-5	16-14 GA Bullet Conn., Female	**		•	allation. Contact your Walker dealer	
5	5996-15	12-10 GA Ring Term., (1/2)	**	**	Service Pa	•	
6	5977-1	Grommet (1/8 x 3/8)	2			•	
7	5975-5	Wire Clip, Self-Mount	3	ПОИ	E: Upon in	stallation of kit, Item # 6 replaces Pa	/N 5989-4
8	5996-1	16-14 GA Butt Conn.	**		•	Plug, 3/8), Item # 10 replaces P/N 5	
9	5975-1	Cable Tie (18# x 3-3/4")	**		•	Plug, 7/16) and Item # F091 replace	
10	5995	Toggle Switch (Off-On)	1		•	Plug, 5/16). Dome Plugs are not sho	
11	5995-2	Switch Boot	1		•	/ Chassis Assembly (GHS Models)	
12	5996	16-14 GA QKS Term., .250, Female	**		•	,	
13	7995-4	Power Lead Wire Assembly (Lights) (Includes Items # 4, 8, 9 & 12)	1				
14	7992	Mount Bracket, Lights	1				


5989 LIGHT KIT



5885 ARMREST KIT & WALKER TOUCH-UP PAINT

NO.	PART NO.	DESCRIPTION	NO. REQ'D	NO.	PART NO.	DESCRIPTION	NO. REQ'D
5885	Armrest Ki	t*		10	5873	Touch-Up Paint, Grey (1 qt.)	
1	5886-1	Armrest, RH	1	11	5873-1	Touch-Up Paint, Grey (1 gal.)	
2	5886-3	Cover Plate, RH	1	Faste	eners		
3	5887	Mounting Bracket	1				
4	5886-4	Cover Plate, LH	1		F305	1/4-20 x 3/8 SH Cap Screw	2
5	5886-2	Armrest, LH	1		F306	3/8-16 x 3/4 Hex Bolt	4
	5888	Armrest Hardware Kit	**		F307	#10 x 5/8 PPHST Screw	2
		(Includes Items # F305, F306, F3	807 & F308)		F308	1-1/4 x 1-5/8 Wave Spring Washer	2
Walk	er Touch-U	p Paint***				ered as a factory-installed option or as a k llation. Contact your Walker dealer.	it for
6	5866	Touch-Up Paint, Yellow (12 oz. A	erosol)		Service Par	· · · · · · · · · · · · · · · · · · ·	
7	5871	Touch-Up Paint, Yellow (1 qt.)	,			t Only, Walker Touch-Up Paint is not inclu	ded with
8	5871-1	Touch-Up Paint, Yellow (1 gal.)				ment parts or kits and must be ordered se	
9	5867	Touch-Up Paint, Grey (12 oz. Ae	rosol)				


5885 ARMREST KIT & WALKER TOUCH-UP PAINT



5638 COLD START & 5190 ACOUSTICAL SOUND BARRIER KITS

NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
5638	Cold Start	Kit*		Faste	eners		
1	5802	Decal, Cold Start	1		F004	1/4-20 Keps Nut	2
2	5850	Handle Grip, Foam	1		F020	5/16-18 ESNA Nut	1
3	5638-1	Engine Belt Release Lever	1		F031	1/4-20 x 5/8 Hex Bolt	2
4	6325-2	Spacer Bushing (5/16)	1		F084	5/16 Wave Spring Washer	1
5	5638-5	Lever Catch	1		F093	5/16-18 x 1 Hex Bolt	1
					F108	3/8-16 x 2 Hex Bolt	1
5190	Acoustical	Sound Barrier Kit*					
				* 1	May be ord	lered as a factory-installed option or as	s a kit for
6	NS	Acoustical Sound Barrier, Rear Panel	1		•	allation. Contact your Walker dealer.	
7	NS	Acoustical Sound Barrier, Front Panel	1			•	


5638 COLD START & 5190 ACOUSTICAL SOUND BARRIER KITS



8072 ALL-TERRAIN TIRE KIT & TIRE CHAIN SETS

						The state of the s	
NO.	PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	PART NO.	DESCRIPTION	NO. REQ'D
8072	All-Terrain	Tire Kit*		Faste	eners		
1	8070-4	Wheel Spacer Plate	2**		F157	1/2-20 x 1-1/4 Wheel Lug Bolt	8
2	8071	All-Terrain Wheel & Tire, LH (18 x 11.00-10)	1	*	Mav be ord	lered as a factory-installed option or as	a kit for
3	8070	All-Terrain Wheel & Tire, RH (18 x 11.00-10)	1		e Chain Sets		
	8070-1	AT Tire Only (18 x 11.00-10)	***		•	with 8072 All-Terrain Tire Kit.	
	8070-2	AT Wheel Only (10 x 8.5)	***	***	Service Pa	rt Only	
Optio	onal Tire Ct	nain Sets**		NOTI		57 is reused from Body / Chassis Assemodels) and is not included with P/N 807	•
4	5675-2	Tire Chain Set (18 x 8.50-8) (For use with Wide Wheel & Tire Ass	1 sy)		•	Chassis Assembly (GHS Models), Page	
	5675	Tire Chain Set (18 x 6.50-8) (For use with Optional Narrow Drive	1	NOTI	with tires	ain Sets are not for use on All-Terrain Ti s listed at Item 4. Refer also to Body / C ly (GHS Models), Page 4.	•


8072 ALL-TERRAIN TIRE KIT & TIRE CHAIN SETS



LUBRICATION POINTS

ITEM NO.	LOCATION	LUBRICATION TYPE	NO. PLACES	ITEM NO.	LOCATION	LUBRICATION TYPE	NO. Places
Lubri	cation Points			24	Engine Dipstick / Oil Filler	Oil***	1
	5 1 6			25	Transmission Belt Tightener P		1
1	Deck Caster Wheel Fork Pivot	Grease	2	26	PTO Belt Tightener Pivot	Grease	1
2	Blade Drive Gearbox	Oil*	2	27	Tee Gearbox, Tractor	Oil*	1
3	Tee Gearbox, Deck	Oil*	1	28	Hydrostatic Drive	Oil***	2
4	Deck Caster Wheel Bearing	Grease	2	29	(FSC) Friction Body Pivot	Grease	1
5	PTO Shaft Guard Hinge	Oil	1	30	Choke Control Pivot	Oil	1
6	Universal Joint Shaft Assembly	Grease**	1	31	Throttle Control Pivot	Oil	1
7	Pivot Assembly, Tilt-Up Deck	Grease	4	32	Discharge Chute Hinge	Oil	1
8	Deck Support Arm Socket	Grease	2	33	FSC Actuator Rod Pivot Pins	Oil	2
9	Steering Lever Pivot	Grease	4				
10	Body Hinge Point	Oil	2	Not S	Shown - Parking Brake Lever (Op	tional)	
11	Deck Roller Wheel	Oil	2				
12	Deck Support Arm Pivot	Grease	2	*	Gearboxes are permanently lubri	cated and sealed	l requiring
13	Deck-to-PTO Coupling	Grease	1		no scheduled lubrication. Oil leve	I should be chec	ked only
14	FSC Lever Pivot	Grease	1		when an oil leak is noted.		
15	Universal Joint Tube Assembly	Grease**	1		Grease every eight (8) hours.		
16	Gear Axle	Oil***	2	***	See Owner's Manual for procedu	re for checking a	nd
17	FSC Lever Fork	Grease	1	(changing oil in Engine Crankcase	, Hydrostatic	
	(Grease Slide Area)			•	Transmissions, and Gear Axles.		
18	Pillowblock Bearing, Drive Shaft	Greaseσ	2	σ	Sealed, relubricatable-type bearing	ngs, grease lightl	y once per
19	Engine Belt Tightener Pivot	Grease	1	,	year, do not over grease or sea	ls will be damage	d.
20	Throttle Control Cable Ends	Oil	2	•	_	J	
21	Choke Control Cable Ends	Oil	2	NOT	E: DGHS42 Tilt-Up Deck is show	n for reference. I	or other
22	Anti-Scuff Roller Wheel	Oil	2		Deck Lubrication Points, Refer		
23	Catcher Hinge Point	Oil	2		Illustrated Parts Manual.		


LUBRICATION POINTS



Effective Date 02-07-97

Use only genuine Walker replacement parts.

WIRING SCHEMATIC



LIMITED WARRANTY FOR WALKER COMMERCIAL RIDER MOWER

1. WHAT THIS WARRANTY COVERS, AND FOR HOW LONG:

Walker Manufacturing company will, at its option, repair or replace, without charge, any part covered by this warranty which is found to be defective in material and/or workmanship within one (1) year* after date of sale to the original retail purchaser unless the product is used for rental purposes, in which case this warranty is limited to ninety (90) days. At Walker's request, customer will make the defective part available for inspection by Walker and/or return the defective part to Walker, transportation charges prepaid. All parts and components of the Walker Mower are covered by this warranty except the following components which are warranted separately by their respective manufacturers:

Kohler Engine Kubota Engine Kawasaki Engine Eaton Hydraulic Transmission Peerless Gearboxes Battery Tires

The available warranties covering these items are furnished with each mower. Walker does not assume any warranty obligation, liability or modification for these items, which are covered exclusively by the stated warranty of the respective manufacturers noted above.

* An extended three (3) year warranty is offered on the Walker P/N 6200 Gear Axle Assembly.

2. WHAT THIS WARRANTY DOES NOT COVER:

- A. This warranty does not cover defects caused by depreciation or damage caused by normal wear, accidents, improper maintenance, improper use or abuse of the product, alterations, or failure to follow the instructions contained in the Owner's Manual for operation and maintenance.
- B. The customer shall pay any charges for making service calls and/or for transporting the mower to and from the place where the inspection and/or warranty work is performed.

3. HOW TO OBTAIN SERVICE UNDER THIS WARRANTY:

Warranty service can be arranged by contacting the dealer where you purchased the mower or by contacting Walker Manufacturing Company, 5925 East Harmony Road, Ft. Collins, CO 80528. Proof of the date of purchase may be required to verify warranty coverage.

4. WARRANTY LIMITATION:

- A. THERE IS NO OTHER EXPRESS WARRANTY. ANY WARRANTY THAT MAY BE IMPLIED FROM THIS PURCHASE INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IS HEREBY LIMITED TO THE DURATION OF THIS WARRANTY AND TO THE EXTENT PERMITTED BY LAW ANY AND ALL IMPLIED WARRANTIES ARE EXCLUDED. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.
- B. WALKER WILL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES AND/OR EXPENSES IN CONNECTION WITH THE PURCHASE OR USE OF THE MOWER. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation(s) or exclusion(s) may not apply to you.
- C. Only the warranty expressed in this limited warranty shall apply and no dealer, distributor, or individual is authorized to amend, modify, or extend this warranty in any way. Accordingly, additional statements such as dealer advertising or presentations, whether oral or written, do not constitute warranties by Walker, and should not be relied upon.
- D. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



WALKER MFG. CO. • 5925 E. HARMONY ROAD, FORT COLLINS, CO 80528 • (970) 221-5614 FORM NO. 072297 PRINTED IN USA ©1997 WALKER MFG. CO