


ROTARY BROOM ASSEMBLY

ITEM NO.	WLK PART NO.	RAD PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	WLK PART NO.	RAD PART NO.	DESCRIPTION	NO. REQ'D
Rotary Broom Assembly					33	O/L		1/2 Nylon Locknut	4
1	I170	657309	Knob 5/16-18 NC	2	34	5830		Grease Fitting	2
2	O/L		Flat Washer 3/8" Dia. Hole	3	35	I364	658578	11/16 Nylon Washer	4
3	WLK	666844	Wear Tube	2	36	O/L		1/2-NC x 1-3/4 Hex Bolt	2
4	WLK	663074	Eyebolt 5/16" NC x 5"	2	37	I317	658531	Wheel Cap	4
5	WLK	666881	Chain 3/16" x 25-1/2" Lg.	2	38	I312	658536	Wheel Bushing (5/8 x 1/2)	4
6	I361	660220	Spring 3 x 9-1/8	2	39	I310	655537	Bearing	4
7	I513	A-10368	Clevis 1/4" x 5/16" Pin	2	40	I311	657991	Plastic Wheel (4" O.D. x 2" Lg.)	2
8	I514	1900009	Circle Cotter 1" x 1/16"	4	41	O/L		Cotter Pin 3/16 x 1-1/2" Lg.	2
9			Driveline Support	1	42	I335	658533	Wheel Bracket, RH	1
10	O/L		3/32 x 3/4 Cotter Pin	2		I336	658534	Wheel Bracket, LH	1
11	O/L		7/16-NC x 1-1/4 Hex Bolt	1	43	O/L		1/2-NC x 3-1/2 Hex Bolt	2
12	O/L		5/16-NC x 1 Hex Bolt	2	44	WLK	0200065	Serrated Flange Bolt	7
13			Female Hitch	1				5/16" x 1/2" GR 2	
14	WLK	661009	Upper Coupler	1	45	O/L		5/16-NC x 1/2 Hex Bolt (Flange)	4
15	O/L		1/2 ID Flat Washer	1	46	I385	659784	Parking Stand Support Bracket	2
16	O/L		7/16 Lock Washer	1	47	WLK	1900006	Round Wire Lock Pin 1/4"	2
17	O/L		7/16-NC Hex Nut	1	48	I366	659580	Parking Stand	2
18	O/L		7/16 Nylon Locknut	1	49	O/L		5/32 x 1-1/4 Cotter Pin	2
19	O/L		3/8 ID Flat Washer	2	50	WLK	666845	Chain Guard	1
20	O/L		5/16-NC Nylon Locknut	2	51	WLK	661579	Housing	1
21	O/L		5/8 Uni-Torque Nut	1	52	I362-2	666842	Side Plate - Right	1
22	I010	656797	Plastic Handle Grip 1/2" x 3" Lg.	1	53	WLK	0200091	Serrated Flange Bolt	2
23	WLK	663640	Adjustment Handle	1				5/16" x 1", GR 2	
24	I057	1800004	3mm x 65mm Hairpin	1	54	O/L		Nylon Insert Locknut 5/16" NC	1
25	I306	658961	Stopper Pin, 1/2 x 2-9/16	1	Fasteners				
26	I540	667605	Broom Pivot	1		F317		3/16 x 1 Split Spring Pin	1
27	I339	658528	Upper Bushing	1	NOTE: Decals are illustrated in greater detail in the Owner's section of this manual. Refer to SAFETY, CONTROL, AND INSTRUCTION DECALS in Safety Instructions , Page 18.				
28	O/L		7/16-NC x 1-3/4 Hex Bolt	1					
29	I338	659641	Adjustment Plate	1					
30	I348	657989	Torsion Spring (1-9/16 x 3/4)	1					
31	I367	658532	Pivot Bushing	2					
32	O/L		9/16 ID Flat Washer	2					

ROTARY BROOM ASSEMBLY




ROTARY BROOM DRIVE COMPONENTS

ITEM NO.	WLK PART NO.	RAD PART NO.	DESCRIPTION	NO. REQ'D	ITEM NO.	WLK PART NO.	RAD PART NO.	DESCRIPTION	NO. REQ'D
Gearbox Assembly					(Includes Item # 38)				
1	WLK	661741	Dipstick Plug	1	40	WLK	0300002	Carriage Bolt, 5/16" x 3/4" NC. GR 5	9
2	O/L		M8 x 45 Bolt	8	41	WLK	4300030	Flange, 3 Holes With Grease Groove	3
3	NS	661740	Casing	1	42	I371	4300038	Bearing, 1" Dia. With Locking Screw, Greasable	3
4	I330	661730	Oil Seal	2	43	WLK	4300031	Flange, 3 Holes With Grease Fitting and Groove	3
5	I331	661734	Snap Ring	3	44	WLK	0900036	Nut Serrated Flange 5/16" NC	9
6	WLK	661733	25.6 x 0.6 Shim	1	45	I397	660988	Decal, Safety Procedures	1
7	I332	661732	Bearing	2	46	I362	BROO1	Brush Set - 100% Polypropylene 18" - 47" Broom	1
8	I325	661731	Shim 25.6 x 0.7	1		WLK	BROO2	Brush Set - 50% Polypropylene 50% Steel 18" - 47" Broom	1
9	WLK	661735	Pinion, 29M3.5	1		WLK	BROO3	Brush Set - 100% Steel 18" - 47" Broom	1
10	WLK	661738	Gear Z25M35	1		I370	3800054	Wafer Brush - 100% Polyurethane 18"	24
11	I333	661728	Bearing 6205	2		WLK	3800056	Wafer Brush - 100% Steel; 18"	24
12	O/L		M8 Hex Nut	8	47	I362-2	666640	Brush Support	1
13	O/L		3/8-NC x 5 Hex Bolt	4	48	5800	661051	Decal, Walker Mower (4 x 7-1/2)	1
14	WLK	661729	Shaft	1	49	NS	2500515	Decal, Important - Brush Adjustment	1
15	WLK	660063	Parallel Key, A8 x 7 x 25	1	50	NS	660328	Decal, Important - Avoid Damage	1
16	I326	661737	Shim 25.6 x 0.8	1	51	NS	658708	Decal, Grease All Points	1
17	I327	661736	Shim 25.6 x 1.0	1	52	I398	661052	Decal, Brush Contact	1
18	WLK	661739	3/8 Plug	1	53	WLK	665650	Retaining Plate, Brush	1
19	WLK	661144	O-Ring	1	54	O/L		Lock Washer 5/16"	3
20	O/L		3/8 Lock Washer	1	55	O/L		Hex Bolt 5/16" NC x 1-1/4" Lg., GR 5	3
21	O/L		3/8 Hex Nut	1	Fasteners				
Driveline and Sprockets Assembly						F004		1/4-20 Keps Nut	1
22	6651-5		Bearing & Retainer Kit	1		F149		1/4 x 1/4 x 1-1/2 Key	1
23	I395	657763	Decal, Rotating Driveline	1		F271		1/4-20 x 2-1/4 Hex Bolt	1
24	6651-1	6651-1	PTO Outer Shield	1		F318		3/8-16 x 3/4 SQH Set Screw	1
25	6651-10		CV U-Joint Shaft Assembly, Splined (Includes Items # 22-24)	1	NOTE: Decals are illustrated in greater detail in the Owner's section of this manual. Refer to SAFETY, CONTROL, AND INSTRUCTION DECALS in Safety Instructions , Page 18.				
26	I376	4500024	Gearbox, Updated Broom (Includes Items # 1-21)	1	NOTE: All NS items are not sold by Walker Manufacturing.				
27	I305	654643	1/4 x 1/4 x 1-1/4 Key	1					
28	O/L		5/16-NC x 1/4 Set Screw	2					
29	WLK	666631	Drive Shaft	1					
30	O/L		Cotter Pin 1/8" x 1-3/4"	1					
31	O/L		Flat Washer 9/16" Dia. Hole	1					
32	O/L		5/16-NC x 5/8 Set Screw	1					
33	WLK	655379	Key 1/4" x 1/4" x 1"	1					
34	O/L		5/16-NC x 3/4 Set Screw	1					
35	I380	657405	Drive Sprocket 40B36	1					
36	I507	665960	Chain Tensioner Automatic	1					
37	I360	3800016	Torsion Spring	1					
38	WLK	656153	Connecting Link #40	1					
39			Chain #40 x 70 Links	1					

Use only genuine **Walker®** replacement parts.

Effective Date 09-01-09

ROTARY BROOM DRIVE COMPONENTS



Effective Date 09-01-09

Use only genuine **Walker®** replacement parts.