



WALKER
out front mowing

Product Catalog

Mowers • Decks

**Walker Family Farm,
Fowler, Kansas, 1950s**





From humble beginnings almost 60 years ago in Fowler, Kansas, Walker Manufacturing has grown with the Walker Mower to become one of the premiere names in lawn mower manufacturing. Now in its third generation of family ownership, Walker is continuing to look to the future, providing one of the most productive and versatile mowers on the market.

The Walker Advantage

Compact	8
Steering	9
Balance	10
Agile	10
Trimming	11
Reach	12
View	13

Collection Tractors

Model S	14
Model C	16
Model T	18
Model D	20

Non-Collection Tractors

Model B	22
Model H	24

Decks & Add-Ons

Collection, Discharge, Mulching	26
---------------------------------	----








Compact



Steering



Balance



Agile



Trimming



Reach



View



Compact



The Walker has a small footprint designed to get into and out of tight places.



Clearance

Mow Under, Not Around.

Many lawns have low, overhanging obstacles that require a deck and operator position with a low profile to make mowing under them possible.


The thoughtful design of the Walker will help you get more grass mowed, faster and easier.



Integrated Components

Powerful From The Inside Out

One design standard we have worked towards is to ensure the entire grass collection system is internal. This intentional effort has allowed Walker Mowers to retain their compact footprint.



Steering




The Walker immediately goes where you tell it to with little effort thanks to the precise combination of finger-tip steering and the cruise control function of the Forward Speed Control.

Forward Speed Control

Drive ahead by simply moving the forward speed control. Once in the drive position, the forward speed control uses a friction lock to work as a cruise control; allowing the operator to control the mower by simply applying pulling pressure to the steering levers. This makes operating easy by not having to hold anything forward. To stop, pull the forward speed control back to the neutral/park position.

Steering Levers

Walker Mower steering levers take control the moment you apply pulling pressure. Each steering lever is preloaded forward using an integrated spring-over dampener, which sets transmission torque and provides smooth machine operation. This allows the operator to easily steer the machine by controlling both levers with a single hand using gentle fingertip pressure. The steering system is designed for precise control using optimal linkage geometry and high quality components.



Counterweight Springs OFF



Counterweight Springs ON

Less Turning Resistance

The maneuverability of the Walker is enhanced by using counterweight springs to reduced weight on the deck caster wheels. Lightly loaded caster wheels allow the drive system to immediately steer rather than overcome the resistance of turning caster wheels on grass, making the Walker a responsive performer.



Balance




Consistent Traction No Matter The Location

Predictable traction is fundamental to confident operation. Traction is increased when the weight of the mower is concentrated where the drive tires meet the turf. Whether you are mowing on hillsides or making high-speed zero-turns, the Walker will provide the traction that allows you to mow with confidence.




Low Center of Gravity



Agile

The cumulative effect of compact size, balance, and precision steering on a mower's ability to complete common mowing tasks quickly:

- 1. Bed Contours:** Navigate contours with speed and precision.
- 2. Gates:** Effortlessly pass through yard gates without wasting time grabbing a different piece of equipment.
- 3. Berms:** Even the smallest slopes or pitches require good traction to navigate quickly.
- 4. Fence Lines:** Predictable steering gives you confidence to quickly maneuver.
- 5. Tight Corners:** Tight corners and low hanging obstacles do not slow down the compact Walker Mower.



Trimming



Trim on the Left ...and the Right

All Walker collection, mulching, and rear discharge decks allow you to trim on both sides. Stay productive in more areas by simply mowing, not planning out your pattern.



Continuous Forward Motion

One of the many ways to get you on and off the lawn faster is to reduce the effort and time it takes to trim around trees, beds, and other landscape features. The Walker easily and precisely trims more beds and raised obstacles in one pass saving you time over and over again.



Reach



Front Reach

Mow Under, Not Around

Your trees will love the Walker's low profile deck. Trimming around and under low hanging branches with a Walker is easy and safe with minimal impact on your landscape.



Clearance: 12½ in
Reach: 20 in

The Stats

Clearance: measures the height of the front caster fork. This shows where the front of the machine can fit.


Reach: measures how far a machine can mow underneath an object before encountering an obstruction on the mower. Where no obstruction exists, reach is measured to where the operator's legs are positioned.

Side Reach

A distinct productivity advantage is the ability of the Out Front deck to reach to the side and do the job where push mowers and string trimmers are usually used. It's the little things like side reach that get the job done quicker and add up to a more productive machine.



View




Designed by Farmers to Make Straight Rows



Eyes Front and Center

The out-front deck of the Walker Mower allows you to easily and safely keep your eyes front and center while operating your mower. With both trim edges of the mowing deck visible from a natural, forward facing position on the Walker, mowing efficiency is improved and it keeps you and your surroundings safe. On many midmount style machines you have to turn your body and head to extreme angles to see the deck or tire edges, and the forward view effectively shrinks, creating dangerous blind spots in your mowing path.



Better View By Design

From the very start, operator view has been a top priority for the Walker Mower



S



Model S

Engineered to be affordable and efficient, the Model S is the ultimate mower for use on residential lawns. Our clean sheet redesign of the S14 makes the original 1980 design look and perform better than ever. With close attention to every detail, the Model S has been reborn.

Available in two configurations, the Model S is a serious residential machine with a commercial mower's heart. It boasts an exclusive, patented 12.5 inch grass handling blower paired with a compact 7.0 bushel catcher—you will be leaving nothing behind except perfectly manicured turf. The S14 non-collection configuration provides a powerful unit for using side discharge and mulch decks, while also boasting our lowest price point ever.

Key Features

The Model S comes with a 14 horsepower, Subaru Robin engine providing ample power and efficiency. Other features include: oversized, remote-mounted engine air filtration, 1.9 gallon fuel tank, an internal 12.5 inch grass handling blower, a compact 7 bushel grass catcher with proven PowerFil™ technology, and many other configurable add-ons. All this, along with the lowest price of any Walker, makes the Model S a valuable addition to your commercial mowing fleet or residential garage.



Walker's 12.5 inch GHS blower incorporates a patented thru-shaft PTO

S14



Compatibility

Decks

- 3 Collection Decks (36" - 42")
- 2 Discharge Decks (36", 42")
- 4 Mulching Decks (36" - 42")

Popular Add-ons

- 36" Single-Stage Snowblower
- 48" Dozer Blade Attachment

Popular Options

- Non-Collection Utility Bed
- Wide Drive Tires (8.5)
- Tire Chains
- Headlights
- Armrests

C



Model C

The C19 and C19i are the latest designs of one of our longest running models. Both are designed from the ground up to be compact, high-production mowers ideal for commercial and residential operators.

With its compact size and 7 bushel grass catcher, the C19 and C19i are our most agile grass-handling, commercial mowers. You can quickly get into and out of places you simply cannot reach with other mowers. Tight corners, overhanging obstacles, gates, and narrow strips of grass are no problem for the Model C.

Key Features

The C19 comes with a 19 horsepower Kohler V-Twin engine while the C19i features an EFI (electronic fuel injection) Kohler Command Pro engine which dramatically improves fuel efficiency. Other features include: high capacity engine air filtration with a turbine pre-cleaner, 4 gallon fuel tank with an easy-to-read gauge, an internal 10.5 inch grass handling blower, and a compact 7 bushel grass catcher with proven PowerFil™ technology. The available Power Dump system, along with many other configurable add-ons makes the Model C one of our most popular models for getting work done efficiently.



Walker's 10.5 inch GHS blower spins at 4,000 rpm and is the heart of the GHS system.

C19 C19i



Compatibility

Decks

- 5 Collection Decks (36" - 48")
- 6 Discharge Decks (36" - 56)
- 6 Mulching Decks (36" - 52")

Popular Add-ons

- 48" Dozer Blade Attachment
- 36" Single-Stage Snowblower
- Dethatcher
- Boom Sprayer

Popular Options

- Power Dump
- Wide Drive Tires
- Armrests
- Headlights
- Comfort or Suspension Seat

T



Model T

The Walker Model T is one of our most powerful and versatile mowers. It's no wonder the T23, T25i, and T30i have been mainstays among commercial operators for decades. If you are looking for a single machine that will handle any property maintenance challenge you face, the Model T is your solution.

Key Features

The Model T offers three powerful engine options. The T23 features a 23 horsepower Kohler Command Pro engine, the T25i features electronic fuel injection with a 25 horsepower Kohler Command Pro engine, and the T30i offers top-of-the-line power with a 30 horsepower, EFI, liquid cooled, Kohler Aegis® engine. All Model T mowers come standard with: remote engine air intake with turbine pre-cleaner, 4.7 gallon fuel tank with easy-to-read gauge, a shock-mounted instrument panel and a number of configurable add-ons.

The patented Walker Grass Handling System consists of an internal 10.5 inch grass handling blower and a 10 bushel grass catcher with proven PowerFil™ technology allowing you to vacuum up grass clippings, leaves, and debris leaving a clean, manicured lawn in any season.

A non-collection configuration is also available for those who love the Model T line but do not need to collect clippings or debris. Including a useful utility bed on the back, the Model T non-collection becomes a powerful workhorse for a variety chores around the property.



Walker's 10.5 inch GHS blower and heavy duty PTO gearbox provide significant vacuum performance and durability.

T23 T25i T30i



Compatibility

Decks

- 6 Collection Decks (36" - 52")
- 8 Discharge Decks (36" - 74")
- 6 Mulching Decks (36" - 52")

Popular Add-ons

- 48" Dozer Blade
- 42" Two-Stage Snowblower
- 47" Rotary Broom
- Dethatcher
- Boom Sprayer

Popular Options

- Hi-Dump® or Power Dump
- Wide Drive Tires
- Armrests
- Headlights
- Comfort or Suspension Seat

D



Model D

The D21d sits at the top of our commercial GHS mower line allowing you to experience impressive industrial power and agile, premium-quality mowing. The Model D is the most compact mower of its class featuring a liquid cooled diesel engine and 10 bushel catcher. Not only will the D21d handle any property maintenance challenge you face, but it will do so without breaking a sweat.

Key Features

The D21d is powered by a three cylinder Kubota D722 engine rated at 20 horsepower and providing an impressive 34 foot-pounds of torque. It features a fully pressurized lubrication system, liquid cooling with an automatic reversing, self-cleaning radiator fan, remote engine air intake with turbine pre-cleaner, high capacity 40-amp electrical system, 4.7 gallon fuel tank with an easy-to-read gauge, shock-mounted instrument panel, 4-way adjustable Grammer suspension seat, and a number of configurable add-ons.

The patented Walker Grass Handling System consists of an internal 10.5 inch grass handling blower and a 10 bushel grass catcher with proven PowerFil™ technology allowing you to vacuum up grass clippings, leaves, and debris leaving a clean, manicured lawn in any season. A non-collection configuration is also available for the Model D when there is no need to collect clippings or debris. The non-collection model includes a versatile utility bed on the back allowing you to transport and dump a wide variety of loads with ease.



Walker's 10.5 inch GHS blower easily handles grass clippings and debris in all types of conditions.

D21d



Compatibility

Decks

- 6 Collection Decks (36" - 52")
- 8 Discharge Decks (36" - 74")
- 6 Mulching Decks (36" - 52")

Popular Add-ons

- 48" Dozer Blade
- 42" Two-Stage Snowblower
- 47" Rotary Broom
- Dethatcher
- Boom Sprayer

Popular Options

- Hi-Dump® or Power Dump
- All Terrain Drive Tires
- Wide Drive Tires
- Headlights
- No-Catch Deflector

B



Model B

Walker Models B18, B19, B23i and B25p are like no other mowers in the mid-size, zero-turn class. Powerful and compact, they share the distinct Walker characteristics of being agile, versatile, and accessible while delivering beautiful mowing results using Walker's side discharge and mulching decks. These nimble, productive machines get the job done quickly with minimal loss of motion, and can easily mow difficult landscaped areas thanks to a compact size, low center of gravity, and out-front mower deck. By design, the operator is positioned at the center of the machine for better overall balance, improving traction, handling and safety. The stability of the Model B on slopes allows for traveling up and down hills, and also enables mowing side to side across hills.

Key Features

Available with an 18-hp Briggs & Stratton Vanguard engine, the B18 is a perfect machine for residential and commercial applications. The B19 is equipped with a 19-hp Kohler Command, and the B23i uses a 23-hp Kohler with Delphi® electronic fuel injection; offering improved fuel economy and lots of power. The B25p has a powerful Kohler propane EFI engine marrying fuel efficiency and alternative fuel. The B18 and B19 use Walker's interchangeable side discharge and mulch decks up to 56 inches, including the productive 52" belt-drive, side discharge deck. The B23i and B25p use the same deck sizes as other B models as well as the 62" and 74" side discharge decks. Model B tractors can easily be fitted with a 36 inch snowblower or 48 inch dozer blade attachment and have other available add-ons and options such as different tire packages, headlights, seats, and armrests. Model B tractors are like no other mowers available today when it comes to productive mowing.

B18 *B19* *B23i* *B25p*



Compatibility

Decks

- 8 Discharge Decks (36" - 74")
- 6 Mulching Decks (36" - 52")

Popular Add-ons

- 36" Single-Stage Snowblower
- 48" Dozer Blade Attachment
- Boom Sprayer

Popular Options

- All Terrain Drive Tires
- Wide Drive Tires
- Armrests
- Headlights
- Comfort Seat

H



Model H

Walker H models are different from other commercial mowers in design, performance, and finished results. The high production Model H is a compact, high-capacity machine and features increased speed while still using the superior design of the Walker out-front style mower. Unique design characteristics help the Model H stand out in municipal and institutional applications where high-production, beautiful results are demanded.

Key Features

The Model H offers four different engine choices: a 23.4-hp liquid-cooled Kohler diesel, a 25-hp air-cooled Kohler, and fuel-saving 27-hp or 38-hp air-cooled Kohler Command Pro EFI engines. The versatile Model H uses interchangeable decks that include 52" and 64" rear discharge decks and a 60" side discharge deck. Walker's 74" side discharge deck—the largest in its class—can also be installed on the Model H using an adapter kit. Available add-ons include a 60" dozer blade, a 50" two-stage snowblower, a 60" rotary broom and an operator hard cab. All of the H models come standard with a comfortable suspension seat with armrests, dual fuel tanks with selection valve offering 9.4 gallon fuel capacity, and are equipped with a remote mounted industrial air filter for improved engine life. A Roll Over Protection System (ROPS) is standard on Model H24d and is optional for the other H tractors. A headlight option is also available for each model. The Walker Model H stands alone in it's class for high quality, high production, improved profitability and year round work with beautiful results.

H25 H27i H24d H38i



Compatibility

Decks

- 2 Side Discharge Decks (60", 74")
- 2 Rear Discharge Decks (52", 64")

Popular Add-ons

- 50" Two-Stage Snowblower
- 60" Dozer Blade
- 60" Rotary Broom
- Operator Hard Cab

Popular Options

- All Trail Drive Tires
- Tail Weights
- Headlights
- ROPS

Decks

Collection

Collection decks are compatible with Walker Grass Handling (GHS) models S, C, T, and D and are designed specifically to catch grass and debris. Collection decks are offered in 6 sizes and styles (36"-52").

Discharge

Walker side and rear discharge decks are designed to cleanly and evenly discharge cut grass from under the deck housing. Available in 11 sizes and styles (36"-74").

Mulching

Walker mulching decks are designed to efficiently re-cut material and return it to the turf leaving a healthy, beautiful cut.



Deck Compatibility Chart

	Collection						Discharge										Mulching					
	C36R	C42	C42R	C48	C48R	C52R	S36	S42	S42B	S48	S52	S56	S60	S62	S74	R52	R64	M36	M42	M48	M52K	M60K
S14	•	•	•				•	•	•									•	•			
C19	•	•	•	•	•		•	•	•	•	•			•				•	•	•	•	
C19i	•	•	•	•	•		•	•	•	•	•			•				•	•	•	•	
T23	•	•	•	•	•	•	•	•	•	•	•			•	•			•	•	•	•	
T25i	•	•	•	•	•	•	•	•	•	•	•			•	•			•	•	•	•	
T30i	•	•	•	•	•	•	•	•	•	•	•			•	•			•	•	•	•	
D21d	•	•	•	•	•	•	•	•	•	•	•			•	•			•	•	•	•	
B18							•	•	•	•			•					•	•	•		
B19							•	•	•	•	•							•	•	•	•	
B23i							•	•	•	•	•			•	•			•	•	•	•	
B25p							•	•	•	•	•			•	•			•	•	•	•	
H25										Δ	Δ	Δ	•	Δ	Δ	•	•			Δ	Δ	•
H27										Δ	Δ	Δ	•	Δ	Δ	•	•			Δ	Δ	•
H24d										Δ	Δ	Δ	•	Δ	Δ	•	•			Δ	Δ	•
H38i										Δ	Δ	Δ	•	Δ	Δ	•	•			Δ	Δ	•

Accessible

Tilt-Up Decks

Standard on all Walker decks is the tilt-up function. This feature makes blade and deck housing maintenance easy and safe. This is a considerable advancement in mower design when compared to jacking up the mower and laying on the ground to access the deck.



Tilt-Open Bodies

Tilt-Open and Tilt-Up bodies quickly expose engine and drive train for service and easy maintenance.



Warranty

Today, it is popular to talk about a “lifetime” warranty, but what really matters is how that promise is kept.

We don’t use warranty as a gimmick to sell our product – rather, we use it as a promise to stand behind our workmanship. Walker aims to use warranty as it is meant to be used – helping customers get back to work quickly in the event of a manufacturer’s defect or failure of workmanship. At Walker Manufacturing, our warranty is our word.

You will have peace of mind with the Walker warranty covering all parts and labor for 1 year with extended coverage on all engines and drivetrains.

Service Agreement

As a Walker owner, you can expect to receive the highest quality performance from your product and matching service from the local dealer where you made your purchase. Walker Mowers are sold by independent dealerships who understand the line and agree to follow Walker’s Sales with Service commitment to our customers. Dealers are established by independent distributors who are backed by Walker Manufacturing Company. Walker is an independent, family-owned, manufacturer of high quality, American-made, power equipment products since 1980.

Bob Walker, President



Product Specs

Model	S14	C19	C19i	T23	T25i	T30i	D21d	B18	B19	B23i	B25p	H24d	H25	H27i	H38i
Engine	Subaru EX400	Kohler CH620	Kohler ECH630	Kohler CH680	Kohler ECH740	Kohler LH775	Kubota D722	BBS Vanguard	Kohler CH620	Kohler ECH730	Kohler PCH740	Kohler KDW1003	Kohler CH740	Kohler ECH749	Kohler ECH980
Fuel System	Carb	Carb	EFI	Carb	EFI	EFI	Diesel	Carb	Carb	EFI	Propane EFI	Diesel	Carb	EFI	EFI
Cooling System	Air	Air	Air	Air	Air	Liquid	Liquid	Air	Air	Air	Air	Liquid	Air	Air	Air
Displacement (cc)	404	674	694	674	747	747	719	570	674	747	747	1028	725	747	999
HP @ 3600 RPM	14	19	19	22.5	25	30	20	18	19	23	25	23.4	25	26.5	38
Max Torque (ft-lbs)	19.9	35	34.2	36.8	38.8	44.6	34	29.5	35	38.1	39	36.8	39.2	40	53
Fuel Capacity (US Gal)	1.9 (7.2 L)	4 (15.1 L)	4 (15.1 L)	4.7 (17.8 L)	4.7 (17.8 L)	4.7 (17.8 L)	4.7 (17.8 L)	4 (15.1 L)	4 (15.1 L)	4.7 (17.8 L)	7.9 (33 lb)	9.4 (35.6 L)	9.4 (35.6 L)	9.4 (35.6 L)	9.4 (35.6 L)
Drive Tire Size (diameter x width)	18x7	18x8.5	18x8.5	18x9.5	18x9.5	18x9.5	18x9.5	18x8.5	18x8.5	18x8.5	18x8.5	22x10.5	22x10.5	22x10.5	22x10.5
Top Speed (MPH & km/h)	7 (11.3)	7 (11.3)	7 (11.3)	7 (11.3)	7 (11.3)	7 (11.3)	7 (11.3)	8 (13)	8 (13)	8 (13)	8 (13)	10 (16)	10 (16)	10 (16)	10 (16)
Tractor + Deck Length (in)	88.5	89.25	89.25	93	93	93	93	90.75	90.75	90.75	90.75	107	107	107	107
Tractor + Deck Tilted Length (in)	77	77	77	77	77	77	77	72	72	72	72	87.75	87.75	87.75	87.75
Height (in)	46.75	47.5	47.5	49	49	49	49	39.5	39.5	39.5	42.75	46.75**	46.75	46.75	46.75
Wheel Base (in)	43	42.25	42.25	42.25	42.25	42.25	42.25	40	40	40	40	42.6	42.6	42.6	42.6
Tractor Width (in)	36	37.75	37.75	39.25	39.25	39.25	39.25	38	38	38	38	46.5	46.5	46.5	46.5
Tractor Weight (lb & kg)	595 (270)	734 (333)	739 (335)	795 (361)	799 (362)	898 (407)	959 (435)	572 (260)	586 (266)	594 (269)	625 (284)	1001 (454)	752 (341)	753 (342)	802 (364)
Tractor + Deck* Weight (lb & kg)	786 (357)	925 (420)	930 (422)	1014 (460)	1018 (462)	1117 (506)	1178 (534)	776 (352)	790 (358)	798 (362)	829 (376)	1463 (664)	1214 (550)	1215 (551)	1264 (573)

*MS & MC: DC42, MT & MD: DC48, MB: DS48, MH: DS60. **ROPS folded

- Gasoline engines require unleaded 87+ octane
- Diesel engines require 2-D Full pressure lube systems with filter, S14 has mechanical splash lube system
- 12V electrical systems
- Flywheel alternator charging, D21d has belt driven alternator
- Ignition lockout by seat switch, transmission neutral, blade clutch
- All machines feature dual, independent hydrostatic transaxles
- Dual lever steering, precision friction lock Forward Speed Control lever with neutral/park position
- Internal mechanical parking brake
- Cutting height 1" to 4", 1.5" to 4.5", or 1" to 5", varies per model
- Heavy-duty stamped steel cutting blades, tempered
- Blade clutch and brake with manual belt tightener
- Decks and add-ons powered by splined PTO shaft with dual u-joints allowing dynamic articulation
- Deck carrier frame with flexible deck suspension, caster wheels, and counterweight springs
- Welded, heavy gauge, steel chassis
- Welded, 14 gauge steel bodies
- Welded, 11 gauge steel decks

