





walkermowers.com



Hseries



- 25-HP, Kohler Command Pro engine Two independent Hydro-Gear® Transaxles
- Contoured seat with full suspension
- •Tilt-up body completely exposes drive train
- Remote engine air cleaner with precleaner Splined PTO drive shaft with quick-disconnect
- 9.4 gallon (35.6 liter) fuel tank capacity
- •10 mph (16 kph) ground speed



- •27-HP, Kohler Command Pro with Electronic Fuel Injection (EFI)
- Two independent Hydro-Gear® Transaxles (ZT3400)
- Contoured seat with full suspension
- Tilt-up body completely exposes drive train
- Remote engine air cleaner with precleaner • Splined PTO drive shaft with quick-disconnect
- 9.4 gallon (35.6 liter) fuel tank capacity
- •10 mph (16 kph) ground speed



- 23.6-HP, Yanmar three cylinder diesel engine, liquid-cooled
- Two independent Hydro-Gear® Transaxles (ZT3400)
- Contoured seat with full suspensionElectric radiator fan with automatic reversing self-cleaning action
- Tilt-up body completely exposes drive train
- Remote engine air cleaner with precleaner
- Splined PTO drive shaft with quick-disconnect
- 9.4 gallon (35.6 liter) fuel tank capacity10 mph (16 kph) ground speed
- Standard Roll Over Protection System (ROPS)

out front Advantage



Beautiful Cut

Whether working on slopes or flat ground, a better balanced machine is also easier on the turf. When maneuvering, no matter the top speed of the mower, it still has to slow down, come to a stop and make a zero turn to avoid turf damage.

The well balanced Walker Model H does this efficiently, contributing to overall job time savings and a beautiful finished look of the turf.

Hillside Stability

Because the mower deck is out front, the seat position is lower. This lowers the machine's center of gravity and helps Walker H models perform on hills like no other mower in their class.



Versatile

The versatile H series has decks that are interchangeable including a 52" rear discharge deck and a 60" side discharge deck. Walker's 74" side discharge deck--the largest in its class--can also be installed on H models using an adapter kit.

Available implements include a 60" dozer blade, a 50" two-stage snowblower and a 60" rotary broom. The out front design makes it easty to switch between different decks and attachments.

Best Seat in the House

With a full view of the area to be mowed and an operator position at the exact center of the machine-you have the "Best Seat In The House."

- Full view of working area
- Low center of gravity maximizes tractor/operator balance and provides excellent hillside performance
- Out front deck gives improved reach under fence lines and overhanging bushes and shrubs (less trimming)



The high production H-series features increased speed while using the superior design of an out-front style mower. This larger machine has two H-series specific, interchangeable decks (R52 and S60) and a variety of available attachments. The H-series also offers three different engine choices: a 25-hp air-cooled Kohler, a fuel-saving 27hp air-cooled Kohler EFI or a 24-hp liquid-cooled Yanmar diesel. Walker's H-series tractors stand alone in their class for high quality, high production, year-round work with beautiful results.



(1)

(3)

(4)

(5)

Deck Counterweight Springs Transfer weight from the deck to the drive wheels, adding traction and allowing the deck to float

Steel Body Shell

14-gauge body with welded steel

Makes blade and deck housing

Durable deck design with 11-gauge steel housing and tubular carrier

Cutting Blades

Durable steel alloy blades are specifically designed for the Walker

Easy-Change Drive Belts

Deep Deck Design

Five-inch deep deck design delivers Walker's trademark cut



Deck height manually adjusts up to 5" using a foot pedal

Comfortable Operating Position Large contour molded suspension seat is matched with natural and

Industrial Grade Engines

All engines are exhaust emission certified and are full pressure lubricated and include oil filter

Dual Hydro Gear® ZT3400 transaxles with external oil filters deliver precise ontrol in a proven, durable design

Engine Driveshaft Coupler Custom-made, torsionally dampened coupler offers positive, smooth driveline function

(15)

Parking Brake Internal mechanical lock in transaxles is easy to engage from seat

Torsion-Flex Frame

to float and twist to follow ground contour for superior cutting quality

The hillside stability of the Model H is not just for traveling across a hill--it also helps with stopping, mowing downhill, and changing directions. Precise mowing on slopes is a unique characteristic in this class of mower.

Accessible

It is not an accident that the Walker Mower provides quick, easy access to its serviceable parts. The Walker Mower was designed and built to be easy to maintain.

Tilt-open bodies quickly expose the engine and drivetrain, while tilt-up mower decks make blade maintenance and deck cleaning a quick and easy task.



The Walker's easy-to-use steering configuration is a distinct design characteristic that improves agility versus competitive machines.

While other mowers use lap bars and arm movements to steer, the Walker uses a forward speed control/ cruise control and gentle fingertip pressure on the steering levers to precisely maneuver the machine.



Engine Specifications	H25	H27i	H24d
Manufacturer/Model	Kohler CH740, V-Twin, OHV	Kohler ECH749, V-Twin, OHV, EFI	Yanmar 3TNM72, 3 cyl.
Displacement	725cc (44 cu. in.)	747cc (45 cu. in.)	904cc (55.2 cu. in.)
Max Power	25 hp @ 3600 rpm	26.5 hp @ 3600 rpm	23.6 hp @ 3600 rpm
Max Torque	39.2 ft lbs	40 ft lbs	40.9 ft lbs
Fuel	Automotive Grade Unleaded Gasoline (E10 max) Diesel (2-D)		
Fuel Capacity	9.4 gallons (35.6 liter)		
Cooling System	Air Liquid, Radiator		
Lubrication System	Full Pressure with Filter		
Muffler	Engine Tuned		
Tractor Drive			
Transmission/Final Drive	Dual, Independent Hydro-Gear® Integrated Transaxles (ZT3400)		
Steering	Hand Lever Control, Individual Drive Wheel		
Forward Speed Control	Precision Friction Lock Lever, Cruise Control with Neutral Park Position		
Brake	Dynamic Braking through Transaxles		
Parking Brake	Internal Mechanical Cog Lock for Each Transaxle (Single Lever Control)		
Ground Speed	0-10 MPH Forward, 0-5 MPH Reverse, Infinitely Variable		
Turning Radius	Zero (0")		
Mower Deck			
Cutting Width	Interchangeable MH Specific 60" Side Discharge or 52" Rear Discharge Deck		
Cutting Height	1" to 5" (2.54 cm to 13 cm), .5" (1 cm) Increments		
Blade	0.197 inch Stamped Steel, 10B38 Alloy, Tempered		
Maximum Blade Speed	3300 RPM (17800 FPM with 20.5" Blade)		
Blade Drive	Splined PTO Drive Shaft with 2 High Speed U-Joints, Three Blades mounted on Heavy-Duty, Belt-Driven Spindles		
Blade Clutch/Brake	Manual Belt Tightener/Band Brake		
Deck Suspension	Torsion-Flex Frame with Caster Wheels and Counterweight Springs		
Dimensions			
Outside Dimensions*	46.5 H x 62 W x 107 L		
Wheel Base (Tractor)	45 in.		
Tractor Width (Outside Drive Tire)	46.5 in.		
Curb Weight (Approximate)			
Tractor Only	752 lbs.	753 lbs.	985 lbs.
Tractor and Deck*	1197 lbs.	1198 lbs.	1430 lbs.
Compatibility			
Decks	DR52, DS60 (Deck Arm Adapter Kit available for using other decks: 48" to 74")		
Add Ons	50" Two-stage snowblower, 60" Dozer Blade, 60" Rotary Broom		

^{*}Dimensions and weight shown for models equipped with 60" deck (with discharge shield folded)

Service Commitment

As a Walker owner, you can expect to receive the highest quality performance from your product and matching service from the local dealer where you made your purchase. Walker Mowers are sold by independent dealerships who understand the Walker line and agree to follow Walker's Sales with Service commitment to our customers. Dealers are established by independent distributors who are backed by Walker Manufacturing Company. Walker is an independent, family-owned, manufacturer of high quality, American-made, power equipment products since 1980.

Warranty

Today, it is popular to talk about "lifetime" warranty, but what really matters is how that promise is kept. We don't use warranty as a gimmick to sell our product – rather, we use it as a promise to stand behind our workmanship. Walker aims to use warranty as it is meant to be used: helping customers get back to work quickly in the event of a manufacturer's defect or failure of workmanship. At Walker Manufacturing, our warranty is our word.



 All parts and components aganst defects in materials or workmanship



Hydro-Gear[®] transaxles

 Yanmar administers their own 3-year engine warranty Kohler administers their own 3-year engine warranty



For a zero turn mower to excel at its work its design has to be right from the start, or it will be easily lost in the wide array of commercial mowers that deliver only marginal results. Walker's design philosophy consists of discipline, ingenuity and no compromises. Through three generations of the Walker family, each Walker model has been built from the inside out to achieve a balance of durability and performance.



walkermowers.com